

B-TECH AUDIO VIDEO MOUNTS

SAFE · SOLID · SECURE

AVMOUNTSANDACCESSORIES





WELCOME TO THE 2016 EDITION OF THE B-TECH CATALOGUE...

I am pleased to introduce you to B-Tech's latest product catalogue. As the AV industry continues to evolve and converge, it is important that companies who play a supporting role (such as B-Tech) do likewise. Led by the head-office in Northamptonshire, UK, B-Tech's eight office and distribution facilities around the world, together with a global distribution network, supports you wherever you are, with the same emphasis on product quality, good pricing and excellent service.

B-TECH AUDIO VIDEO MOUNTS
Vasur one stop your dis Supports

Out of the Supports

The Support

The Supports

The Supports

The Supports

The Supports

The Su

To coincide with the release of this new catalogue, we are pleased to launch System X - B-Tech's all new range of premium video wall, digital signage and menu board mounting solutions. System X consists of highly aesthetic, yet efficient and effective mounting solutions designed specifically for multi-screen installations. This highly flexible

range caters for any requirements you may have. For example, ready-made universal mounting kits for freestanding and mobile video walls (e.g. BT8370-2X2 or BT8371-3X3) are available as standard and provide a hassle free alternative to screen specific solutions you may have seen elsewhere. For the more custom / bespoke solution, a comprehensive modular system is also available, allowing you to pick and choose what components are required - all backed-up by a new online configuration tool that does all the hard work for you.

Aside from the new System X range, B-Tech continues to offer a mounting solution for every screen available - ranging from the larger, heavy duty interactive flat panel displays to the smaller CCTV screens. With such an extensive range available, B-Tech's range of AV mounting solutions can be categorised into three main groups:


- **B-Tech Professional** a comprehensive range of mounting solutions for AV equipment including Flat Panel Displays, Projectors and Speakers. Ideal for systems integrators and installers.
- **B-Tech Bespoke Solutions** if a solution is not provided in our range, then our global technical team offers a tailor-made service for any bespoke / ODM project. B-Tech can provide the full chain of services from the complete design and production process to just production of an existing product. Utilising our various production facilities around the world including laser cutting machines, CNC production and stamping, B-Tech can produce bespoke products in quantities of 1pc to 100,000pcs!
- **B-Tech Consumer** taking our experience from the stringent Professional market, B-Tech offers the Ventry Range of AV Mounts and Accessories which are ideal for retail channels large and small, with full colour multi-lingual packaging and POS materials.

Our mottos of Safe Solid Secure and Better by Design have never been more true. Please visit our website at **www.btechavmounts.com** or follow us on Social Media to be kept up to date with all the latest developments with B-Tech around the world. B-Tech will also be participating in industry events around the world, such as ISE and InfoComm, so please try and visit us at one of these shows where we will be happy to meet you.

Mener

Matthew Bennett CEO - B-Tech International Group

B-TECH INTERNATIONAL GROUP



CONNECT WITH B-TECH ONLINE









PRODUCT INFO ICONS





Max VESA® Size



Weight





Swivel Range



Rotation



Post Installation Screen Alignment







Compatible with B-Tech Accessory Collars



Compatible with B-Tech Heavy Duty Accessory Collars





Piano Black





White







Clear Glass













CONTENTS

B-TECH PROFESSIONAL

Our professional section contains an extensive collection of mounting solutions for use in both commercial and residential applications. For a selection of mounts and accessories designed for use in the home, please see the consumer section.

Page 5-15	System X Multi-Screen Mounts
Page 16 - 27	Video Wall Mounting
Page 28 - 31	VESA® Flat Screen Wall Mounts
Page 32 - 33	Universal Flat Screen Wall Mounts
Page 34	Medical & Specialist Mounts
Page 35	Mounting Adaptors
Page 38 - 51	AV Trolleys & Floor Stands
Page 52 - 53	Floor Stand Mounting System
Page 54 - 55	AV Accessory Shelves
Page 56 - 61	Flat Screen Ceiling Mounts
Page 62 - 63	Projector Mounts
Page 64 - 65	Desk Mounts
Page 66 - 67	Tablet Enclosures
Page 68 - 81	50mm Pole Mounting System
Page 82 - 83	Bespoke Design Service

B-TECH CONSUMER

Our consumer section contains a selection of mounts and accessories ideal for use in the home. For a more extensive selection designed for use in both commercial and residential applications, please see the professional section.

Page 84 - 87	Flat Screen Wall Mounts			
Page 88 - 89	AV Furniture			
Page 90 - 92	Speaker Mounting			
Page 93	Mounting Accessories			
Page 94	AV Care and Cleaning			
Page 95 - 96	AV Controls and interconnects			



B-TECH PROFESSIONAL

B-TECH AUDIO VIDEO MOUNTS



The Professional's Choice for Audio Video Mounts and Supports

B-Tech Audio Video Mounts is a leading original design manufacturer of professional AV mounting solutions whose mounts are installed in some of the most prestigious sports stadia, hotels, schools, shopping malls, airports and conference facilities worldwide. B-Tech's professional range consists of B-Tech brands; Mountlogic, System 2, System V, Pro Install and the brand new System X range. Mounts and supports are designed in the UK to meet the stringent GS/TUV safety standards and come with a 10-year* lifetime guarantee. From distribution centres all across the globe, B-Tech are able to offer a same-day dispatch service from stock, getting the product there on-time for that important install. The B-Tech Range of AV mounts is designed to make professional installations safe, solid and secure, whilst providing simple, cost effective solutions for commercial and public installations.

*Guarantee length varies on certain products, please refer to B-Tech's price list for more details.



Premium mounting solutions for video walls, digital signage and menu boards

B-Tech's brand new System X range consists of premium mounting solutions for video walls, digital signage and menu boards and is also ideal for the broadcast and video conferencing markets. The mounting system is lightweight yet incredibly strong and has a high-end aesthetic quality which gives a premium finish without sacrificing any of the reliability that B-Tech products are renowned for. Designed for multi-screen installations, the range is universally compatible with all video wall screens and is available in an almost endless variety of configurations - either as a ready made kit for convenience or in modular component form for more specialist custom requirements. The range is also compatible with the System 2 collar and pole system and when used together creates one of the most versatile and comprehensive ranges available on the market today.

Universal Video Wall Stand

BT8370-2x2

Universal 2x2 Configuration



System X[™] Universal Video Wall Stand for 2x2 Video Walls

- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Fits screens with VESA® and non VESA fixings from 200 x 200mm up to 600 x 400mm
- Dimensions: **W:** 2005mm **D:** 950mm **H:** 1898mm up to 2094mm
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated cable management
- Adjustable levelling feet

- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black













cals Horizontals Ba

BT8370 Features



Premium finish gives a contemporary, high-end aesthetic quality



8 point tool-less micro-adjustment for seamless screen alignment



Cable management hides untidy cables and adds to the stylish finish



Screen spacer designed to eliminate calculations and guess work when installing horizontal rails

B-TECH PROFESSIONAL

Universal Video Wall Stand



BT8370-3x3

Universal 3x3 Configuration



System X[™] Universal Video Wall Stand for 3x3 Video Walls

- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Available in 2 separate kits dependent on screen size: one for screens from 46" to 55" and a wider version for 60" screens
- Fits screens with VESA® and non VESA fixings from 200 x 200mm up to 600 x 400mm
- Dimensions: **W:** 3005mm **D:** 950mm **H:** 2498mm up to 2699mm
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Available in 2 sizes

BT8370-3x3

for all screens 46"-55"

BT8370-3x3-60

for all screens 55"-60"

- Integrated cable management
- Adjustable levelling feet
- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black















Fit System 2 compatible accessories such as shelves without using collars



Includes adjustable levelling feet



BT8370 Features

ALTERNATE CONFIGURATIONS

The BT8370-2x2 and -3x3 are pre-packaged kits designed for the most common video wall setups. There are actually over 2000 different configurations of BT8370 available! Visit our online configuration tool to specify setups of up to 6x4 with different options such as screen size, orientation and leg height. Please see **page 15** for more info.

Universal Mobile Video Wall Stand

BT8371-2x2

Universal 2x2 Configuration



System X[™] Universal Mobile Video Wall Stand for 2x2 Video Walls

- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Fits screens with VESA® and non VESA fixings from 200 x 200mm up to 600 x 400mm
- Dimensions: **W:** 2005mm **D:** 950mm **H:** 1993mm up to 2189mm
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated cable management
- Includes non-marking 4" locking/braked castors and alternative levelling feet

- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black















BT8371 Features



Premium finish gives a contemporary, high-end aesthetic quality



8 point tool-less micro-adjustment for seamless screen alignment




Cable management hides untidy cables and adds to the stylish finish



Screen spacer designed to eliminate calculations and guess work when installing horizontal rails

Universal Mobile Video Wall Stand





System X[™] Universal Mobile Video Wall Stand for 3x3 Video Walls

- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Available in 2 separate kits dependent on screen size: one for screens from 46" to 55" and a wider version for 60" screens
- Fits screens with VESA® and non VESA fixings from 200 x 200mm up to 600 x 400mm
- Dimensions: **W:** 3005mm **D:** 950mm **H:** 2593mm up to 2794mm
- Tool-less micro-adjustments at 8 points for seamless display alignment

Available in 2 sizes

BT8371-3x3

for all screens 46"-55"

BT8371-3x3-60

for all screens 55"-60"

- Integrated cable management
- Includes non-marking 4"locking/braked castors and alternative levelling feet
- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black















Fit System 2 compatible accessories such as shelves without using collars



Includes non-marking 4" locking/ braked castors and alternative levelling feet

The state of the s

BT8371 Features

ALTERNATE CONFIGURATIONS

The BT8371-2x2 and -3x3 are pre-packaged kits designed for the most common video wall setups. There are actually over 2000 different configurations of BT8371 available! Visit our online configuration tool to specify setups of up to 6x4 with different options such as screen size, orientation and leg height. Please see page 15 for more info.

Universal Menu Board Mounting System





System X[™] Universal Menu Board Mounting System

The BT8330 is a modular mounting system designed for menu board installations of any length. As part of the new System X Range, the BT8330 can be used in thousands of different configurations and must be ordered according to your requirements. This process is made easy using B-Tech's online configuration tool - simply enter a few details (such as number of screens and their size) and the configurator will select all of the components needed and create a single part code with which to place your order.

- Modular menu board mounting system designed for all sized screens up to 50kg (per screen)
- Fits screens with VESA® and non VESA fixings from 75 x 75mm up to 800 x 400mm
- Can be used in a variety of configurations
- Suitable for landscape or portrait mounting
- Multiple rail lengths available (rails can be also be joined)
- Choice of 5 different interface arms:
 - VESA 200* fixed
 - VESA 200* tilt
 - VESA 400* fixed
 - VESA 400* ti**l**t
 - VESA 400* with micro-adjustment
- All arms feature levelling screws to adjust the screen height
- Tilt arms feature up to +20° tilt
- Micro-adjustment arms allow screen depth to be adjusted at each corner
- Compatible with System 2 collars for pole mounted installs
- Safety screws help prevent unauthorised removal of screens















BT8330 Features

*Please note the VESA specification refers to the vertical dimension only, arms can be spaced apart as wide as necessary.



high-end aesthetic quality



Tilt arms feature +20° tilt adjustment



A choice of interface arms are available: VESA 200 fixed, VESA 200 tilt, VESA 400 fixed. VESA 400 tilt and VESA 400 with micro-adjustment



Fit to poles using

and B-Tech collar

a BT8390-CFK

Rails are available in 0.7m, 1.5m, 1.75m and 2m lengths but can also be joined together. However, our configuration tool will do all calculations for you and work out the required length needed

Universal Menu Board Mounting System




ENDLESS NUMBER OF POSSIBLE CONFIGURATIONS, FOR ALL MENU BOARD SIZES



COMPATIBLE WITH THE SYSTEM 2 RANGE FOR CEILING MOUNTING



SUITABLE FOR PORTRAIT AND LANDSCAPE ORIENTATIONS



leph create your mounting system online

BT8330 Features



SPECIFY YOUR REQUIREMENTS ONLINE AND OUR CONFIGURATION TOOL WILL CREATE A BT8330 KIT TO SUIT YOUR EXACT NEEDS

Menu board installations can vary dramatically from one install to the next, so the BT8330 has been designed on a modular principle with over 2000 different configurations available! Any BT8330 solution ordered will be configured to your exact requirements and then created from our catalogue of System X components (see page 14 for more info) which are all held in stock. Visit our online configuration tool to specify your requirement where you can choose from different options such as screen size, orientation and pole length (for ceiling mounted installs). Please see page 15 for more information about the configuration process.



Universal Multi-Rail Mounting System

BT8340





System X[™] Universal Mounting System for Video Walls and Menu Boards with multiple rows

The BT8340 is a modular mounting system designed for video walls and multiple row menu board installations of any length. As part of the new System X Range, the BT8340 can be used in thousands of different configurations and must be ordered according to your requirements. This process is made easy using B-Tech's online configuration tool - simply enter a few details (such as number of screens and their size) and the configurator will select all of the components needed and create a single part code with which to place your order.

- Modular mounting system designed for all sized screens up to 50kg (per screen)
- Fits screens with VESA® and non VESA fixings from 75 x 75mm up to 800 x 400mm
- Can be used in a variety of configurations
- Suitable for landscape or portrait mounting
- Multiple rail lengths available (rails can also be joined)



- VESA 200* fixed
- VESA 200* tilt
- VESA 400* fixed
- VESA 400* tilt
- VESA 400* with micro-adjustment
- All arms feature levelling screws to adjust the screen height
- Micro-adjustment arms allow screen depth to be adjusted at each corner
- Tilt arms feature up to +20° tilt
- Compatible with System 2 collars for pole mounted installs
- Safety screws help prevent unauthorised removal of screens

*Please note the VESA specification refers to the vertical dimension only, arms can be spaced apart as wide as necessary.







BT8340 Features









Premium finish gives a contemporary. high-end aesthetic quality



Micro-adjustment arms feature tool-less height and depth adjustment knobs



A choice of interface arms are available: VESA 200 fixed, VESA 200 tilt, VESA 400 fixed. VESA 400 tilt and VESA 400 with micro-adjustment



Fit to poles using

a BT8390-CFK and B-Tech collar

Rails are available in 0.7m, 1.5m, 1.75m and 2m lengths but can also be joined together. However, our configuration tool will do all calculations for you and work out the required length needed

Universal Multi-Rail Mounting System



ENDLESS NUMBER OF POSSIBLE CONFIGURATIONS, FOR ALL VIDEO WALL AND MENU BOARD SIZES



COMPATIBLE WITH THE SYSTEM 2 RANGE FOR CEILING MOUNTING



SUITABLE FOR PORTRAIT AND LANDSCAPE ORIENTATIONS









\star create your mounting system online

BT8340 Features



BT8340 has been designed on a modular principle with over 2000 different configurations available!

Any BT8340 solution ordered will be configured to your exact requirements and then created from our catalogue of System X components (see page 14 for more info) which are all held in stock. Visit our online configuration tool to specify your requirement where you can choose from different options such as screen size, orientation and pole length (for ceiling mounted installs). Please see page 15 for more information about the configuration process.

System X Product Components

The System X Range is available as a highly comprehensive component system which can be used to create bespoke video wall, menu board and other multi-screen mounting solutions according to your requirements. Our online configuration tool (see next page) makes



B-Tech Registered Design Numbers on all System X components - please ask for details.

BT8380-BASE

Floor Base includes

Levelling Feet

BT8380-FBFK

Floor Base Fixing Kit

BT8380-CASTORS

4" Braked Castors






to view


SYSTEM CONFIGURATION TO

www.btechavmounts.com/systemx-configurator

Our online configuration tool is designed to specify custom configurations. Select a freestanding, mobile, wall or ceiling mounted setup and then choose screen size and quantity, orientation, interface arm function as well as pole length/leg height (where applicable).



BT8330 & BT8340



Wideo Wall Mount





Example 3x3 screen configuration

Professional Free Standing Video Wall Mount for use in multiple configurations

- Designed for narrow bezel monitors of 46", 55" and 60" up to 50kg per monitor
- Modular floor mount for multiple floor display configurations
- Unlimited amount of vertical columns and up to 7 horizontal rows
 order to your exact requirements
- Suitable for landscape or portrait screen mounting
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Quick and easy assembly and disassembly
- Captive wingnuts and screws used to secure structure no loose bolts!
- Strong Iron structure, painted with Epoxy powder
- Reinforced frame for repeated assembly
- Monitors can be mounted to the center of the mount or, to avoid trip hazards, towards the front of the mount with use of added ballast support
- Accessories such as Hanging Frame and Braked Castors available separately - see page 22









Choice of floor height options

B-TECH PROFESSIONAL



Adjustable height levelling feet



Tool-less micro-adjustments

ORDER TO YOUR EXACT REQUIREMENTS

- Choose the screen size
- Choose number of columns
- Choose number of rows
- Choose the floor height



Captive wingnuts and screws - no loose bolts!

BT8350

Installation Video Guide

With an estimated build time of just 20 minutes to complete a 3 x 3 video wall, putting together your frame couldn't be easier.

To show how easy it is to set up the BT8350 we have created a short 6 minute video demonstrating the ease of installing the most popular video wall configuration -3×3 .

Visit **www.btechavmounts.com/BT8350** to watch the demonstration video under the 'Video' tab at the bottom of the page.




Scan here to view the installation video



Maximum Configurations


For landscape configurations:



Install unlimited vertical columns and horizontal rows up to 7 monitors (dependent on screen size)

*You may also select from various floor heights for your Video Wall Mount

For **portrait** configurations:



(A

How to Choose Your Free Standing Video Wall Mount



- 1. Select your monitor size: 46", 55", 60"
- 2. Decide on landscape or portrait monitor mounting.
- Decide on amount of vertical columns and horizontal rows.
- 4. Visit our online configurator for your mounting solution:

www.btechavmounts.com/bt8350-configurator

If you have a requirement which is not covered by the options above or by the configurator please speak to your B-Tech Sales Manger as the BT8350 is a custom mounting solution which can be tailored to your requirement.





BT8350 & BT8351

Multiple configurations

The BT8350 and BT8351 are modular solutions which can be used in multiple mounting configurations, making them ideal for temporary or rental video wall applications.

For example, purchasing a 4x4 screen configuration as shown here will allow you to mount screens in all of the different configurations shown below.



There are several options which must be specified whilst ordering to ensure the BT8350 and BT8351 are configured to your specific requirements. These include: screen size, desired number of horizontal rows and vertical columns and finally, the height from the floor.

Please visit www.btechavmounts.com/BT8350 and www.btechavmounts.com/BT8351 or contact us to specify your exact requirements and we will advise you on your ideal solution.

Pop-Out Video Wall Mount



Example 3x3 screen configuration

Pop-In, Pop-Out Free Standing Video Wall Mount for use in multiple configurations

- Designed for narrow bezel monitors of 46", 55" and 60" up to 50kg per monitor
- Modular floor mount for multiple floor display configurations
- Unlimited amount of vertical columns and up to 7 horizontal rows
 order to your exact requirements
- Suitable for landscape or portrait screen mounting
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Quick and easy assembly and disassembly
- Captive wingnuts and screws used to secure structure no loose bolts!
- Strong Iron structure, painted with Epoxy powder
- Reinforced frame for repeated assembly
- Monitors can be mounted to the centre of the mount or, to avoid trip hazards, towards the front of the mount with use of added ballast support
- Accessories such as Braked Castors and Floor Fixing Kit available separately - see page 22







Choice of floor height options



Tool-less micro-adjustments



Pop-In, Pop out for easy access

ORDER TO YOUR EXACT REQUIREMENTS


- Choose the screen size
- Choose number of columns
- Choose number of rows
- Choose the floor height



Captive wingnuts and screws - no loose bolts!

BT8352 Curved Video Wall Mount







Example 5x7 screen configuration

Freestanding Curved Video Wall Mount

- Designed for narrow bezel monitors of 46", 55" and 60" up to 50kg per monitor
- Modular design is quick and easy to install perfect for temporary or rental video wall applications
- Can be ordered for use in landscape or portrait orientation
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated Fast-fit Connectors mean no loose fixings
- Captive, fast-fit nuts and screws make assembly and disassembly quick and easy
- Strong, reinforced modular structure is coated in Epoxy powder which is both stylish and durable, perfect for repeated assembly

- Quick and simple assembly/dissembly with self stacking frames for easy transportation
- Adjustable curve up to 30° per column
- Maximum structure limits Columns: Unlimited
 - Rows: 7 with 46" screens in landscape
 - 6 with 55" screens in landscape
 - 5 with 60" screens in landscape
 - 3 with 46", 55", 60" screens in portrait
- Accessories such as Braked Castors and Floor Fixing Kit available separately - see page 22









Choice of floor height options



Tool-less micro-adjustments



Captive wingnuts and screws - no loose bolts!




Curve adjustment of up to 30° per column

BT8352 Multiple configurations

The BT8352 is a modular solution which can be used in multiple mounting configurations, making it ideal for temporary or rental video wall applications.

For example, purchasing a 4x4 screen configuration as shown here will allow you to mount screens in all of the different configurations shown below.



OR... GO LARGER AND CREATE TRULY SPECTACULAR INSTALLATIONS!

30° curve adjustment per column means a BT8352 kit using 7 columns can be assembled in a complete 180° semi-circle configuration.



Please visit **www.btechavmounts.com/BT8352** or contact us to specify your exact requirements and we will advise you on your ideal solution.

Video Wall Mounting Accessories

BT8350, BT8351 & BT8352


Customise Your Free Standing Video Wall Mount

The **BT8350**, **BT8351** and **BT8352** all come with optional mounting accessories. These accessories are compatible with specific products, please consult the compatibility table opposite where a breakdown is provided.

BT8350-HFA

Hanging Frame

With our hanging frame the BT8350 can be suspended from a secure ceiling. The frame attaches to the top and rear of the BT8350 and can hold up to 5 screens per column, with a maximum weight of 350kg per column.





BT8350-CW

Braked Castors

The BT8350, BT8351 & BT8352 all come with height adjustable levelling feet as standard but we also offer options to fit castors as an alternative if there is a requirement for the video wall to be mobile once assembled. Several options are available depending on your requirement and must be specified at the time of ordering, please speak to your Area Sales Manager for more information.



Braked castors feature swivel in all directions.

Hanging Frame


Castors

Floor Base Fixing Kit

BT8350-FBFK

Floor Base Fixing Kit

For a totally secure installation our floor base fixing kit allows your Freestanding Video Wall to be bolted down to a concrete floor, preventing the frame from being moved. Using the floor base fixing kit will also allow you to build taller video walls without the need to add ballast to support the floor base. Each kit comes with 4 brackets per base.



(f)

Video Wall Mounting Accessories

BT8350, BT8351 & BT8352

Aesthetic Covers

The BT8350, BT8351 and BT8352 are all available to order with an optional covering to hide unsightly fixings and give a highly polished, flush video wall. Be it curved, fixed or pop-in/pop-out configurations these covers really complete the product and add to it's already aesthetically pleasing quality.

BT8350



BT8351



BT8352



ACCESSORY COMPATIBILITY

Use the table below to easily distinguish accessories that are compatible with each video wall mount







BT8350

BT8351


BT8352

PRODUCT	BT8350-HFA	BT8350-CW	BT8350-FBFK	COVERS
BT8350	⊘	⊘	⊘	⊘
BT8351	-	⊘	⊘	⊘
BT8352	-	⊘	⊘	⊘

Pop-In, Pop-Out Video Wall Mount

BT8310 **Video Wall Mount**





Professional Video Wall Mount with Quick Lock Push System

- Dramatically shorten installation times by reducing the need for measuring and complicated calculations with the use of screen specific spacers and 8 point micro-adjustments for perfectly aligned screens every time
- Designed for video wall screens up to 50kg
- Modular mount for unlimited wall display configurations
- Fits screens with VESA® mounting patterns from 200 x 200mm up to 600 x 400mm
- Screen model-specific wall plate spacers are available and dramatically shorten install times by eliminating guesswork and on-site installation calculations
- Suitable for landscape or portrait screen mounting
- Ideal solution for mounting video walls or single screens into recessed walls
- Tool-less micro-adjustments at 8 points for seamless display alignment see page 26 for details
- Displays click securely into place against the wall with spring-loaded mechanism
- Push to open / push to close system provides quick and easy service access
- Integrated cable management
- Safety screws to help prevent unauthorised removal of the screen
- Locking kit (BT8310-LK) to prevent accidental pop-out of mount is also available (separately)
- Please note the recommended minimum screen size which can be mounted is 42" with a minimum screen height of 542mm when mounted in a landscape configuration or 557mm when mounted in a portrait configuration

























91_{mm}



Modular mount allows video wall assembly in an unlimited number of configurations

B-TECH PROFESSIONAL



Push to open / push to close system provides quick and easy service access



Tool-less micro-adjustment at 8 points for seamless display alignment



Align screens perfectly using the easy to use thumb wheels

Video Wall Mount Adaptors & Spacers


BT8310-SP Spacer Kits

Custom Wall Plate Spacers for BT8310 and BT8311 Video Wall Mounts

- Eliminate tedious alignment calculations and guess work
- Spacers available for all video wall screen brands such as LG, Samsung, Sharp, Philips, NEC, and Orion
- Only one spacer kit is required per install and can be re-used for multiple installations
- See table below to find out which spacer is required for your installation

Wall plate spacers are available for the **BT8310** and **BT8311** that eliminate tedious alignment calculations, meaning less time is wasted through measuring and 'guesswork'. These spacers are available to order separately and are screen specific for all popular brands. **To find out which spacer kit is needed for a specific screen please see the table below.**







If your screen is not listed in the table below please go to www.btechavmounts.com/BT8310 or scan the QR code above to view the most up to date list.





Mounting with Spacers - Portrait

Accessories - VESA Adaptors and Spacers for BT8310 and BT8311

This list reflects the latest video wall screens available on the market (at the time of printing), for a complete list, including older models, please see www.btechavmounts.com/BT8310

Screen Brand	Model	Screen Size	Spacer Available	VESA Adaptor Required*		
Samsung	UD46D	46" (1022 x 577mm)	BT8310-SP461/N	BT7564		
NEC	X464UNS	46" (1022 x 576mm)	022 x 576mm) BT8310-SP461/N			
Philips	BDL4678XL	46" (1023 X 578mm)	BT8310-SP461/N	Not Required		
NEC	X464UNV	46" (1024 x 579mm)	BT8310-SP461/N	Not Required		
NEC	X464UN-2	46" (1024 x 579mm)	BT8310-SP461/N	Not Required		
NEC	X464UNV-2	46" (1024 x 579mm)	BT8310-SP461/N	Not Required		
Philips	BDL4677	46" (1024 x 579mm)	BT8310-SP461/N	Not Required		
Samsung	UE46D	46" (1031 X 585mm)	BT8310-SP462/N	Not Required Not Required		
Philips	BDL4777XL	47" (1045 x 590mm)	BT8310-SP471/N			
Panasonic	TH-47LFV	47" (1047 x 592mm)	BT8310-SP551/N	Not Required		
LG	47WV50	47" (1047 x 592mm)	BT8310-SP471/N	BT7564		
LG	47LV35A- 5B	47" (1047 x 592mm)	BT8310-SP471/N	BT7564		
Panasonic	TH-55LFV-70	55"(1213 x 684mm)	BT8310-SP551/N	Not Required		
Philips	BDL5588XL	55" (1213 x 684mm)	BT8310-SP551/N	Not Required		
LG LG LG NEC	55LV35A-5B 55LV75A 55LV77A X554UN	55" (1215 × 686mm) 55" (1215 × 686mm) 55" (1215 × 686mm) 55" (1215 × 686mm)	BT8310-SP551/N	BT7564		
			BT8310-SP551/N	BT7564		
			BT8310-SP551/N	BT7564		
			BT8310-SP551/N	Not Required		
NEC	X554UN-2	55"(1215 x 686mm)	BT8310-SP551/N	Not Required		
NEC	X554UNV	55"(1215 x 686mm)	BT8310-SP551/N	Not Required		
Panasonic	TH-55LFV	55"(1215 x 686mm)	BT8310-SP551/N	Not Required		
Samsung	UD55D	55" (1215 x 686mm)	BT8310-SP551/N	BT7564		
Samsung	UE55D	55" (1222 x 693mm)	BT8310-SP552/N	Not Required		
Samsung	PN-V6C2	60" (1336 x 755mm)	BT8310-SP601/N	Not Required		

If you have a bespoke spacer requirement we are also able to make these to order with no M.O.Q.

*VESA adaptors now included as standard!

Professional Video Wall Mount

Wideo Wall Mount





Example 2 x 2 Landscape

Professional Video Wall Mount

- Dramatically shorten installation times by reducing the need for measuring and complicated calculations with the use of screen specific spacers and 8 point micro-adjustments for perfectly aligned screens every time
- Designed for video wall screens up to 50kg
- Fits screens with VESA® mounting patterns from 200 x 200mm up to 400 x 400mm
- VESA® adaptor kit included for mounting patterns of 600 x 400mm
- Tool-less micro-adjustments at 8 points for seamless display alignment see below
- Modular mount for unlimited wall display configurations
- To allow access to the micro-adjustment in video wall configurations with more than 2 rows, it is recommended that the BT8311 be used in conjunction with BT8310 pop-in, pop-out video wall mount See opposite page for more information
- Screen model-specific wall plate spacers are available and dramatically shorten install times by eliminating guesswork and on-site installation calculations - See previous page
- Suitable for landscape or portrait screen mounting
- Integrated cable management
- Safety screws to help prevent unauthorised removal of the screen

Please note the recommended minimum screen size which can be mounted is 42" with a minimum screen height of 542mm when mounted in a landscape configuration and 571mm when mounted in a portrait configuration

















8 Point tool-less micro-adjustments for seamless display alignment







- 1: Independently adjust the depth of each corner of the screen by up to 14mm
- 2: 12mm vertical adjustment to raise or lower screen position
- 3: Laterally adjust and lock the screen into position

Professional Video Wall Mount

BT8311 Example Installations

Applications

In addition to wall mounting, the BT8311 is collar compatible, making possible an endless amount of pole mounted configurations which utilise either horizontal or vertically mounted poles.








Using BT8311 together with the BT8310


In order to access all of the adjustment options when wall mounted in configurations with 3 or more rows, it is recommended that the BT8311 is used together with the BT8310. It is recommended that these mounts should be used in alternating rows to ensure easy access during installation and throughout any future servicing of the screens.



2 x 2 Installation (No BT8310 required)



3 x 3 Installation (3 BT8310s recommended)



2 x 5 Installation (4 BT8310s recommended)

B-TECH PROFESSIONAL FLAT SCREEN MOUNTS

B-Tech flat screen mounts not only offer all the great features below, they are also supplied with a comprehensive hardware kit so you don't have to buy any other fixings or hardware to mount your screen. With both VESA® compliant and universal flat screen mounts in the range, B-Tech flat screen mounts provide solutions for installations of screens from 15" to over 100".



OWLS™- On Wall Levelling System

The OWLS™ feature on B-Tech mounts allows the wall mounting plate to be levelled after it's attached to the wall. This means that if the mount is not quite level then you don't have to re-drill your wall.



CLIPLOGIC[™] **Cable Management**

Many B-Tech mounts feature integrated cable management. On B-Tech wall arms, B-Tech also supply **CLIP**LOGIC[™] cable management clips for quick and stylish cable management.



Pin-Hex Security

For added security and safety, B-Tech provides Pin-Hex Security Screws and Keys as standard across the range of professional flat screen mounts. These simple security screws are an added deterrent to anyone considering removing the screen without the correct tool.



Easy 1-2-3 Step Installation

B-Tech mounts are supplied pre-assembled for a quick and easy installation every time. It's no surprise we are chosen time and time again by professional installers.



Curved Screen Compatible

Our professional mounts are all compatible for use with the latest generation of curved screen TVs using VESA® mounting patterns



Compatible with System 2™

Many of the mounts featured in this catalogue are compatible with the System 2[™] Professional Mounting Range from B-Tech. For more information on alternative installation options please see **page 69**

VESA® Wall Mounts - Small

BT7510

Fixed - Small

Ultra-Slim Flat Screen **Wall Mount**

- Designed for screens up to 23" (58cm) / 20kg
- Fits screens with VESA® mounting patterns: 50 x 50, 75 x 75 and 100 x 100mm
- Low profile design mounts screen only 15mm from wall



Tilt - Small

Flat Screen Wall Mount with Tilt

- Designed for screens up to 23" (58cm) / 20kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment: +17°/-10°
- Distance from wall: 55mm



BT7518

BT7511











Tilt and Swivel - Small

Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 23" (58cm) / 20kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +17°/-10° tilt and 50° swivel (180° when pole mounted)
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style
- Distance from wall: 93mm

BT7512

Single Arm - Small

Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment: +17°/-10°
- Distance from wall: Min: 75mm Max: 280mm
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style















Reaistered Design Number: 001713280-0005

BT7513

Double Arm - Small

Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment: +17°/-10°
- Distance from wall: Min: 95mm Max: 467mm
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style



















Bulk Packaging

B-Tech mounts are also available to order as bulk boxes. For example the BT7511-BULK30 shown here contains 30 individually wrapped BT7511 wall plates, interfaces and screw kits in one carton. Please ask for further information about this option.





VESA® Wall Mounts - Medium

BT7521

Fixed - Medium

Ultra-Slim Flat Screen **Wall Mount**



- mounting patterns 75 x 75 up to 200 x 100mm
- Low profile design mounts screen only 15mm from wall















BT7532

Fixed - Medium

Ultra-Slim Flat Screen Wall Mount

- Designed for screens up to 42" (107cm) / 40kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Low profile design mounts screen only 15mm from wall











BT7522

Tilt - Medium

Flat Screen Wall Mount



- with Tilt Designed for screens up to 32" (81cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 100mm
- Easy tilt adjustment:+/-15° when wall mounted (+/-40° when pole mounted)
- Distance from wall: 45mm
















BT7523

Tilt - Medium

Flat Screen Wall Mount with Tilt



- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Easy tilt adjustment: +/-15° when wall mounted (+/-40° when pole mounted)
- Distance from wall: 52mm














BT7524

Tilt and Swivel - Medium

Flat Screen Wall Mount with Tilt and Swivel



- Fits screens with VESA® mounting patterns: 75 x 75 up to 200 x 100mm
- Features +17°/-10° tilt and 50° swivel (180° when pole mounted)
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style
- Distance from wall: 100mm

BT7514 (Short Arm)

Flat Screen Wall Mount with Tilt and Swivel

Tilt and Swivel - Medium



- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Features +/-40° tilt and 50° swivel (180° when pole mounted)
- Distance from wall: 95mm















Pro Flat Screen Mount Features



CLIPLOGIC™ Cable Management. On B-Tech wall arms, B-Tech supply **CLIP**LOGIC cable management clips for guick and stylish cable management.



OWLS" (On Wall Levelling System). This feature found on B-Tech professional flat screen mounts allows the wall mounting plate to be levelled after it's attached to the wall.



Pin-Hex Security. For added security and safety, Pin-Hex Security Screws and Keys are standard across the B-Tech Range of Professional flat screen mounts.

VESA® Wall Mounts - Medium / Large

BT7514

Single Arm - Medium

Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Easy tilt adjustment: +/-40°
- Distance from wall: Min: 95mm Max: 336mm
- Alternative short arm included (see previous page)















BT7515

Double Arm - Medium

Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Easy tilt adjustment: +/-40°
- Distance from wall: Min: 95mm Max: 525mm

















BT7534

Single Arm - Medium / Large

Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 50" (127cm) / 40kg
- Fits screens with VESA® mounting pattern 75 x 75 up to 400 x 400mm
- Easy tilt adjustment: +/-15°
- Distance from wall: Min: 136mm Max: 382mm
- Alternative short arm included














BT7535 Double Arm - Medium / Large

Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 50" (127cm) / 40kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 400 x 400mm
- Easy tilt adjustment: +/-15°
- Distance from wall: Min: 163mm Max: 571mm




















Easy 1-2-3 Step Installation. B-Tech mounts are supplied pre-assembled for a quick and easy installation every time.

Space Saving Design

Flat screen wall arms have been designed to save space. When the screen is in use, you can adjust your screen to the perfect viewing position. When you've finished watching, simply push the screen back against the wall and the **CLIP**LOGIC[™] cable clips will ensure your cables stay tidy.





Example Installation **Aerial View**



Universal Wall Mounts



Fixed - Medium

Ultra-Slim Universal Flat Screen Wall Mount

- Designed for screens up to 45" (114cm) / 35kg
- Fits screens with mounting patterns up to H: 240mm x V: 200mm including screens using VESA® fixings up to 200 x 200mm
- Ultra-slim design mounts screen only 14mm from wall
- Patent Pending 'Torsion-Lock' security

BT8421-PRO Fixed - Large Universal **Flat Screen Wall Mount** Designed for screens up to 55" (140cm) / 35kg Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm Mounts screen 30mm from wall Locking bar included for secure installation *Padlock not included



Fixed - Large

Ultra-Slim Universal Flat Screen Wall Mount

- Designed for screens up to 55" (140cm) / 50kg
- Fits screens with mounting patterns up to **H:** 440mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Ultra-slim design mounts screen only 14mm from wall
- Patent Pending 'Torsion-Lock' security

BT8422-PRO

Fixed - X-Large

Universal **Flat Screen Wall Mount** Designed for screens

- up to 80" (203cm) / 70kg
- Fits screens with mounting patterns up to H: 825mm x V: 500mm including screens using VESA® fixings up to 800 x 500mm
- Mounts screen 30mm from wall
- Locking bar included for secure installation *Padlock not included



BT8220-PRO

Fixed - X-Large

Ultra-Slim Universal Flat Screen Wall Mount

- Designed for screens up to 80" (203cm) / 70kg
- Fits screens with mounting patterns up to **H:** 840mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Ultra-slim design mounts screen only 14mm from wall
- 'Torsion-Lock' security

BT9903

Fixed - Heavy Duty

Heavy Duty Universal Flat Screen Wall Mount

- Designed for screens from 65" upwards
- Max weight: 200kg*
- Fits screens with VESA and non-VESA® mounting patterns up to H: 1100mm x V: 730mm
- Mounts screen 30mm from wall *35kg when pole mounted





70kg ()







Ultra-Slim Features

70kg ←→ (



Unique 'Torsion-Lock' screen locking mechanism* prevents unauthorised removal *PATENT PENDING



Ultra-Slim design for a close to the wall installation



Spacers included for ventilation and to provide extra room for cable inputs

Universal Wall Mounts

BT8221

Double Arm - X-Large

Ultra-Slim Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 65" (165cm) / 36kg
- Fits screens with VESA® and non-VESA® fixings up to 600 x 400mm
- Easy tilt adjustment: +/-15° (no tools required)
- Distance from wall: Min: 37mm Max: 560mm
- Attractive coverplates included to hide fixings
- Integrated cable management and spirit level bubble
- Suitable for concrete / brick or stud walls up to 16"















BT8225

Double Arm - X-Large

Ultra-Slim Flat Screen Wall Mount with Twin Cantilever Arms



- Designed for screens up to 75" (190cm) / 45kg
- Fits screens with VESA® and non-VESA® fixings up to 600 x 400mm
- Easy tilt adjustment: +/-15° (no tools required)
- Swivel: 130°
- Distance from wall: Min: 40mm Max: 469mm
- Attractive coverplates included to hide fixings
- Integrated cable management and spirit level bubble
- Suitable for concrete / brick or stud walls up to 16"













BT8431-PRO

Tilt - Large

Universal Flat Screen Wall Mount with Tilt



- Designed for screens up to 55" (140cm) / 35kg
- Simple tilt adjustment: +/-18°
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Mounts screen only 80mm from wall
- Unique 'Torsion-Tilt' mechanism
- Locking bars included for secure installation
- Suitable for concrete / brick or stud walls up to 16"
- Suitable for pole mounting see below

















BT8432-PRO

Tilt - X-Large

Universal Flat Screen Wall Mount with Tilt



- Designed for screens up to 80" (203cm) / 70kg*
- Simple tilt adjustment: +/-15°
- Fits screens with mounting patterns up to **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Mounts screen only 80mm from wall
- Unique 'Torsion-Tilt' mechanism
- Locking bars included for secure installation
- Suitable for concrete / brick or stud walls up to 32"
- Suitable for pole mounting see below
- *35ka when pole mounted















Universal Features



Unique 'Torsion-Tilt'* featured on BT8431 & BT8432 PATENT PENDING



BT7841

BT4041



Collar Mounting

Fit BT8431 or BT8432 to ø50mm or ø60mm poles

- Allows BT8431 and BT8432 to be mounted to ø50mm or ø60mm poles
- Use BT7841 for ø50mm poles
- Use BT4041 for ø60mm poles

Medical Mounts




Articulating Wall Arm

Full Motion Articulating Wall Arm Medical Mount

- Designed for flat screens up to 23" (58cm)
- BT7592 is suitable for screens weighing 3 to 5kg
- BT7593 is suitable for screens weighing 5 to 8kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Allows 360° rotation of screen in any direction to display screen in landscape or portrait style
- Mounts screen up to 1650mm from wall
- Supplied with optional handle for easy screen positioning

Digital Signage Wall Mounts



B-TECH PROFESSIONAL

up to 55" (140cm) / 70kg

Portrait Mounting

Flat Screen Wall Mount for Portrait Digital Signage Displays

- Designed for screens
- Maximum distance between fixings: **H:** 410mm x **V:** 755mm
- Fits VESA® fixings up to 600 x 400mm
- Can also be fitted in landscape style
- Mounts screens just 41mm from the wall
- Simple 'hook-on' installation with all mounting hardware included

















Flat Screen VESA® Mounting Adaptors



*Important: Screen size and weight limit dependent on mount to which the adaptor is attached.



Quick Reference Flat Screen

	FIXINGS	FIXED		TILT		TILT AND SWIVEL	
		BT7510	■ Max Screen Size: 23″ (58cm)	BT7511	■ Max Screen Size: 23" (58cm)	BT7518	■ Max Screen Size: 23" (58cm)
SMALL	VESA® 100	■ Fits VESA patterns: up to 100x100	■ Max Load: 20kg	■ Fits VESA patterns: 75x75, 100x100	■ Max Load: 20kg ■ Features Tilt: +17° / -10°	■ Fits VESA patterns: 75x75, 100x100	 Max Load: 20kg Features Tilt: +17° / -10° Features Swivel: 180°
WN		BT7521		BT7522	■ Max Screen Size:	BT7524	■ Max Screen Size:
SMALL / MEDIUM	VESA® 200x100	■ Fits VESA patterns: 75x75 to 200x100	■ Max Screen Size: 32" (81cm) ■ Max Load: 25kg	■ Fits VESA patterns: 75x75 to 200x100	32" (81cm) ■ Max Load: 25kg ■ Features Tilt: +/-40°	■ Fits VESA patterns: 75x75 to 200x100	32" (81cm) ■ Max Load: 20kg ■ Features Tilt: +17° / -10° ■ Features Swivel: 180°
		BT7532	BT8200-PRO	BT7523		BT7514 (short	
MEDIUM	VESA® 200	■ Max Screen Size: 42" (107cm) ■ Max Load: 40kg ■ Fits VESA patterns: 75x75 to 200x200	■ Max Screen Size: 45" (114cm) ■ Max Load: 35kg ■ Fits VESA patterns: 75x75 to 200x200	■ Fits VESA patterns: 75x75 to 200x200	■ Max Screen Size: 42" (107cm) ■ Max Load: 25kg ■ Features Tilt: +/-15°	■ Fits VESA patterns: 75x75 to 200x200	■ Max Screen Size: 42" (107cm) ■ Max Load: 25 kg ■ Features Tilt: +/-40° ■ Features Swivel: 180°
		BT8210-PRO		BT8431-PRO		BT7534 (short d	
GE	VESA® 400	■ Fits VESA patterns: up to 400x400	■ Max Screen Size: 55″ (140cm) ■ Max Load: 50kg	■ Fits VESA patterns: 75x75 to 400x400	■ Max Screen Size: 55" (140cm) ■ Max Load: 35kg ■ Features Tilt: +/-15°	■ Fits VESA patterns: 75x75 to 400x400	■ Max Screen Size: 50" (127cm) ■ Max Load: 40kg ■ Features Tilt: +/-15° ■ Features Swivel: 180°
LARGE		BT8210-PRO	BT8421-PRO	BT8431-PRO	50	PORTRAI	T MOUNT
	UNIVERSAL	 Max Screen Size: 55" (140cm) Max Load: 50kg Fits universal patterns: up to 440x400mm 	■ Max Screen Size: 55" (140cm) ■ Max Load: 35kg ■ Fits universal patterns: up to 465x400mm	■ Fits VESA patterns: up to 400x400	 Max Screen Size: 55" (140cm) Max Load: 35kg Features Tilt: +/-15° Fits universal patterns: up to 465x400mm 		Max Screen Size: 55" (140cm) Max Load: 70kg Fits universal patterns: up to 755 x 410mm
		BT8220-PRO	BT8422-PRO	BT8432-PRO	= M C C .		
X-LARGE	UNIVERSAL	■ Max Screen Size: 80" (203cm) ■ Max Load: 70kg	■ Max Screen Size: 80" (203cm) ■ Max Load: 70kg	Elis VESA partners	■ Max Screen Size: 80" (203cm) ■ Max Load: 70kg ■ Features Tilt: +/-15°		

■ Fits VESA patterns:

up to 800x500

70kg

■ Fits universal patterns:

up to 825x500mm

70kg

B-TECH PROFESSIONAL

Fits universal patterns:

up to 840x500mm

Fits universal patterns:

up to 825x500mm

Mounting Matrix



SINGLE ARM DOUBLE ARM - FULL MOTION CEILING MOUNTS BT7512 BT7513 BT5811 **(B)** Max Screen Size: Max Screen Size: 23" (58cm) ■ Fits VESA patterns: 23" (58cm) 23" (58cm) SMALL 75x75, 100x100 SMALL 15kg 15kg 20kg Features Tilt: +17° / -10° Features Tilt: +17° / -10° ■ Features Tilt: + 17° / -10° Ceiling Drop: BT5811-075 - 795mm ■ Features Swivel: ■ Features Swivel: ■ Fits VESA patterns: ■ Fits VESA patterns: 180° 180° 75x75, 100x100 75x75, 100x100 BT5811-150 - 1545mm BT7514 BT7515 BT5833 SMALL / MEDIUM Max Screen Size ■ Max Screen Size: Max Screen Size: 32" (81cm) ■ Fits VESA patterns: 42" (107cm) 42" (107cm) 75x75 to 200x200 25kg 25kg 25kg ■ Features Tilt: ■ Features Tilt: ■ Features Tilt: +/-40° +/-40° +/-40° ■ Fits VESA patterns: ■ Fits VESA patterns: ■ Features Swivel: ■ Features Swivel: BT5833-075 - 795mm MEDIUM 180° 180° 75x75 to 200x200 75x75 to 200x200 BT5833-150 - 1545mm BT7514 BT7515 BT5834 **Back-to-Back** ■ Max Screen Size Max Screen Size: **(** ■ Fits VESA patterns: 42" (107cm) 42" (107cm) 32" (81cm) 75x75 to 200x200 MEDIUM 25kg 25kg 20kg per screen ■ Features Tilt: Features Tilt: $+/-40^{\circ}$ $+/-40^{\circ}$ +/-40° Fits VESA patterns: ■ Features Swivel: Fits VESA patterns: ■ Features Swivel: BT5834-075 - 809mm 180° 180° 75x75 to 200x200 75x75 to 200x200 BT5834-150 - 1559mm BT7534 BT7535 BT8426 Max Screen Size: ■ Fits VESA patterns: 50" (127cm) 50" (127cm) 55" (140cm) up to 400x400 ■ Max Load: ■ Max Load: 40kg 40kg 40kg ■ Features Tilt: +15° ■ Features Tilt: ■ Features Tilt +/-15° +/-15° ■ Ceiling Drop: 600 - 1000mm ■ Fits VESA patterns: Fits VESA patterns: 75x75 to 400x400 180° 75x75 to 400x400 180° LARGE BT8221 BT8427 **HEAVY DUTY MOUNT** Max Screen Size Max Screen Size: 65" (165cm) ■ Fits VESA patterns: BT9903 65" (165cm) up to 600x400 Max Load: Fits Universal patterns 70kg 36kg up to 755x410 65"+ (165cm+) ■ Features Tilt: +20° ■ Features Tilt +/-15° ■ Ceiling Drop 200kg Fits universal patterns: ■ Features Swivel: 745 - 1000mm 180° up to 600x400mm Fits universal patterns: up to 1100x730mm BT8225 BT8429 Back-to-Back Max Screen Size: 65" (165cm) ■ Fits VESA patterns: ■ Max Screen Size: up to 800x500 75" (165cm) X-LARGE Max Load: 35kg per screen 45kg ■ Features Tilt: ■ Fits Universal patterns Features Tilt $+/-15^{\circ}$ up to 825x500 +/-15° BT8429-100 - 952mm ■ Features Swivel: Fits universal patterns: BT8429-150 - 1452mm 130° up to 600x400mm BT8429-200 - 1952mm

Low Level AV Trolley and Stand



BT8541 Low Level Floor Stand



Low Level Flat Screen Floor Stand

- Designed for use with touch screens up to 65" (165cm) / 70kg
- Maximum distance between fixings:H: 755mm x V: 410mm
- Fits all VESA® fixings up to 600 x 400mm
- Easy adjustment of tilt: -90° with fixed positions of 0°, -22.5°, -45°, -67.5° and -90°
- Mounts screen in landscape or portrait style
- 0.5m ø60mm poles supplied with cable management holes
- Can be used freestanding or bolted to the floor
- Trolley Dimensions (including wheels):D: 684mm W: 890mm H: 684mm*
- Available in 3 colour options:
 BT8541/BB Black Base with Black Poles
 BT8541/BC Black Base with Chrome Poles
 BT8541/SC Silver Base with Chrome Poles
- *Additional height options are available, please contact us for more information

Flat Screen Trolleys

BT7504 Medium Trolley



Medium Flat Screen Display Trolley/Stand

- Stylish trolley designed for screens up to 42" (107cm) / 24kg
- Fits all VESA® fixings up to 200 x 200mm
- Non-marking 2" braked castors included and also supplied with optional screw in levelling feet
- 1.1m ø50mm diameter chrome pole supplied with 4 cable management holes
- Trolley Dimensions (including wheels):D: 455mm W: 735mm H: 1210mm





Braked castors & optional levelling feet are supplied

BT8503

Large Trolley



Large Flat Screen Trolley/Stand Designed for Quick and Easy Installation

- Large stylish flat screen trolley designed for screens up to 60" (152cm) / 50kg
- Maximum distance between horizontal fixings: 800mm
- Fits all VESA® fixings up to 800 x 600mm (or 800 x 400mm in portrait style)
- Mounts screen in landscape or portrait style
- Includes universal flat screen interface kit
- 1.8m ø50mm black poles supplied with 5 cable management holes
- Non-marking 3″ locking / braked castors included
- Also supplied with optional screw in levelling feet
- Trolley dimensions (including wheels): **D**: 785mm **W**: 1118mm **H**: 1945mm
- Includes BT7057 pole rings
- Keyhole 'hook-on' feature for easy installation





Braked castors & optional levelling feet are supplied

Flat Screen Trolleys

BT8504 Large Trolley



Large Flat Screen Display Trolley/Stand

- Designed for screens for screens up to 65" (165cm) / 70kg
- Maximum distance between fixings:H: 755mm x V: 410mm
- Fits all VESA® fixings up to 600 x 400mm
- Mounts screen in landscape or portrait style
- Includes universal flat screen interface kit
- Non-marking 4"locking/braked castors included
- Also supplied with optional screw in levelling feet
- 1.5m ø60mm poles supplied with 5 cable management holes
- Trolley Dimensions (including wheels): **W**: 1130mm **D**: 774mm **H**: 1675mm
- Available in 3 colour options:
 BT8504/BB Black Base with Black Poles
 BT8504/BC Black Base with Chrome Poles
 BT8504/SC Silver Base with Chrome Poles

*Optional Accessory Shelves also available - See Pages 54 and 55





Braked castors & optional levelling feet are supplied

BT8505

Large Glass Base Trolley



B-TECH PROFESSIONAL

Large Flat Screen Display Trolley with Glass Base

- Designed for screens up to 55" (140cm) / 40kg
- Fits screens with mounting patterns up to:
 H: 700mm x V: 400mm including
 all VESA® fixings up to 600 x 400mm
- Easy tilt adjustment +15° / -5°
- Includes Accessory shelf to hold AV equipment up to 7.5kg
- Cable management included
- Trolley dimensions (including wheels): W: 1000mm D: 500mm H: 1910mm
- 10mm tempered piano black safety glass base (BS6206)

Additional Accessory Shelves available separately (see below)

BT7165

AV Component Shelf



For use with BT8505

- Glass shelf designed for AV equipment up to 7.5kg
- Shelf dimensions: 450mm x 320mm
 - *Picture shows 2 shelves mounted to a BT8505 (available separately)

Flat Screen Trolleys





Flat Screen Display Stands

BT8551 Single Screen

Flat Screen Display Stand with Tilt

- Designed to mount screens up to 55" (140cm) / 35kg
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including VESA® patterns up to 400 x 400mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-18°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8551-100: 1.1 Metre Poles / BT8551-150: 1.5 Metre Poles / BT8551-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles















BT8552

Back-to-Back Screens

Back-to-Back Flat Screen Display Stand with Tilt

- Designed to Back-to-Back mount 2 screens up to 55" (140cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including VESA® patterns up to 400 x 400mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-18°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8552-100: 1.1 Metre Poles / BT8552-150: 1.5 Metre Poles / BT8552-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles



















Flat Screen Display Stands

BT8553 Single Screen

Extra-Large Flat Screen Display Stand with Tilt

- Designed to mount screens up to 65" (165cm) / 35kg
- Fits screens with mounting patterns up to **H:** 825mm x **V:** 500mm including VESA® patterns up to 800 x 500mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-15°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8553-100: 1.1 Metre Poles / BT8553-150: 1.5 Metre Poles / BT8553-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles















BT8554

Back-to-Back Screens

Extra-Large Back-to-Back Flat Screen Display Stand with Tilt

- Designed to Back-to-Back mount 2 screens up to 65" (165cm) / 35kg per screen
- Fits screens with mounting patterns up to H: 825mm x V: 500mm including VESA® patterns up to 800 x 500mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-15°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8554-100: 1.1 Metre Poles / BT8554-150: 1.5 Metre Poles / BT8554-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles

















Premium AV Stands

BTF800 Square Base



Flat Screen Display Stand with Square Base

- Designed for screens up to 60" (152cm) / 30kg
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Easy swivel adjustment 60°
- Stylish stainless steel pole finish
- Concealed castors and cable management
- Includes Accessory Shelf Max weight: 10kg
- Glass shelf thickness: 6mm
- Dimensions: **W:** 500mm **D:** 500mm **H:** 975mm (to centre of mount)
- Tempered glass shelves toughened to BS6206A standard

















BTF801

Round Base

Flat Screen Display Stand with Round Base

- Designed for screens up to 55" (140cm) / 30kg
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Easy swivel adjustment 60°
- Stylish stainless steel pole finish
- Concealed cable management
- Dimensions: W: 500mm D: 500mm **H:** 975mm (to centre of mount)
- Tempered glass base toughened to BS6206A standard

Optional Accessory Shelf available separately see below



AV Component Shelf

















For Use with BTF801

- Designed to hold AV equipment such as DVD, Blu-ray® players and game consoles up to 10kg
- Glass Shelf thickness: 6mm
- Dimensions: **W:** 450mm **D:** 365mm
- Tempered glass toughened to BS6206A standard





B-TECH PROFESSIONAL





Premium AV Stands

BTF810 1 Metre Stand



1m Flat Screen Display Stand with Shelf

- Designed for screens up to 60" (152cm) / 35kg
- Fits screens using VESA® and non-VESA® fixings up to 600 x 400mm
- High gloss and premium finish
- 360° revolving base
- Includes Accessory Shelf. Max weight: 10kg
- Glass shelf thickness: 6mm
- Concealed castors and cable management
- Dimensions: W: 500mm D: 500mm H: Min: 910mm Max: 1010mm (to centre of mount)
- Tempered glass shelf toughened to BS6206A standard











BTF811 1.2 Metre Stand



1.2m Flat Screen Display Stand with Shelf

- Designed for screens up to 50" (127cm) / 20kg
- Fits screens using VESA® and non-VESA® fixings up to 400 x 400mm
- High gloss and premium finish
- 360° revolving base
- Includes Accessory Shelf. Max weight: 10kg
- Glass Shelf thickness: 6mm
- Concealed castors and cable management
- Dimensions: **W:** 500mm **D:** 500mm H: Min: 1160mm Max: 1260mm (to centre of mount)
- Tempered glass shelf toughened to BS6206A standard



(f)











Flat Screen Floor Stands

BTF830 1.3 Metre Stand



Flat Screen Floor Stand

- Designed for screens up to 55" (140cm) / 60kg
- Fits screens with VESA® and non-VESA® mounting patterns from 200 x 200 up to 400 x 400mm
- Multiple screen height positions from 900mm up to 1200mm (to centre of mount)
- High-end aesthetic quality
- Suitable for landscape or portrait mounting
- Integrated cable management
- Concealed castors for easy mobility
- Simple 'hook-on' installation
- Dimensions: W: 700mm D: 500mmH: 900mm 1200mm (to centre of mount)









Optional VC Shelf and Video Codec Shelf available separately - see page 49





BTF831 1.9 Metre Stand



B-TECH PROFESSIONAL

Flat Screen Floor Stand

- Designed for screens up to 85" (216cm) / 80kg
- Fits screens with VESA® and non-VESA® mounting patterns from 200 x 200 up to 400 x 400mm
- Multiple screen height positions from 450mm up to 1830mm (to centre of mount)
- High-end aesthetic quality
- Suitable for landscape or portrait mounting
- Integrated cable management
- Concealed castors for easy mobility
- Simple 'hook-on' installation
- Dimensions: **W:** 1000mm **D:** 700mm **H:** 450mm up to 1830mm (to centre of mount)









Optional VC Shelf and Video Codec Shelf available separately - see page 49





Flat Screen Floor Stands

BTF832

Electronic Height Adjustment



Flat Screen Floor Stand with Electronic Height Adjustment

- Designed for screens up to 85" (216cm) / 120kg
- Fits screens with VESA® and non-VESA® mounting patterns from 200 x 200 up to 800 x 400mm
- Electronic height adjustment for optimal screen positioning from 900mm up to 1200mm (to centre of mount)
- Heavy duty mount capable of supporting large loads
- High-end aesthetic quality
- Suitable for landscape or portrait mounting
- Integrated cable management
- Concealed castors for easy mobility
- Simple 'hook-on' installation
- Dimensions: W: 1000mm D: 700mm H: 980mm - 1480mm (to centre of mount)















Easy electronic height adjustment with supplied controller

BTF835

Includes Cabinet



Flat Screen Floor Stand with Cabinet

- Designed for screens up to 55" (140cm) / 60kg
- Fits screens with VESA® and non-VESA® mounting patterns from 200 x 200 up to 400 x 400mm
- Multiple screen height positions from 1300mm up to 1830mm (to centre of mount)
- Ventilated cupboard is perfect for storing AV equipment such as a Blu-Ray player or a PC
- High-end aesthetic quality
- Suitable for landscape or portrait mounting
- Integrated cable management
- Concealed castors for easy mobility
- Simple 'hook-on' installation
- Dimensions: W: 1000mm D: 700mm H: 1300mm up to 1830mm (to centre of mount)













Optional VC Shelf and Video Codec Shelf available separately - see page 49

Twin Flat Screen Floor Stands

BTF833 1.3 Metre Stand



Twin Flat Screen Floor Stand

- Designed for screens up to 55" (140cm) / 60kg per screen
- Fits screens with VESA® and non-VESA® mounting patterns from 200 x 200 up to 400 x 400mm
- Multiple screen height positions from 900mm up to 1200mm (to centre of mount)
- High-end aesthetic quality
- Suitable for landscape or portrait mounting
- Integrated cable management
- Concealed castors for easy mobility
- Simple 'hook-on' installation
- Dimensions: **W:** 1600mm **D:** 700mm **H:** 900mm - 1200mm (to centre of mount)









Optional VC Shelf and Video Codec Shelf available separately - see page 49





BTF834

1.9 Metre Stand



Twin Flat Screen Floor Stand

- Designed for screens up to 55" (140cm) / 60kg per screen
- Fits screens with VESA® and non-VESA® mounting patterns from 200 x 200 up to 400 x 400mm
- Multiple screen height positions from 450mm up to 1830mm (to centre of mount)
- High-end aesthetic quality
- Suitable for landscape or portrait mounting
- Integrated cable management
- Concealed castors for easy mobility
- Simple 'hook-on' installation
- Dimensions: W: 1600mm D: 700mmH: 450mm 1830mm (to centre of mount)









Optional VC Shelf and Video Codec Shelf available separately - see page 49





Floor Stand Accessories

BT7869 Codec Shelf




Codec Shelf

- Mounts discreetly to the rear of the BTF830 range of floor stands*
- Perfect for holding Codec players, Mini PCs, Apple TV and many other AV devices up to 2.5kg
- High-end aesthetic quality with a premium high gloss finish
- Integrated cable management
- Inside Dimensions: W: 320mm D: 35mm H: 200mm











Perfect for holding Codec players, Mini PCs, Apple TV and many other AV decvices

*Compatible with BTF830, BTF831, BTF833, BTF834 and BTF835

BT7870

VC Camera Shelf

VC Camera Shelf

- VC Camera Shelf can be mounted above or below the screen of the BTF830 range of floor stands*
- Perfect for holding a VC camera up to 2.5kg
- Optimised for Polycom & Cisco mounting patterns
- Integrated cable management
- Dimensions: **W:** 325mm **D:** 250mm **H:** 600mm







*Compatible with BTF830, BTF831, BTF833, BTF834 and BTF835



VC Camera Shelf can be mounted above or below the screen



Optimised for use with Polycom & Cisco mounting patterns

Twin Screen Video Conferencing Trolleys

BT8510 **Medium Screens**

Mobile Twin Screen Video Conferencing Trolley with Camera Shelf

1.5m Poles (longer Poles available on request)

- Heavy duty stylish flat screen trolley suitable for holding two screens up to 32" (81cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- Available in 2 colour options: BT8510/BB - Black Base with Black Poles, BT8510/BC - Black Base with Chrome Poles















BT8511

Medium / Large Screens

Mobile Twin Screen Video Conferencing Trolley with Camera Shelf

1.5m Poles (longer Poles available on request)

- Heavy duty stylish flat screen trolley suitable for holding two screens up to 42" (107cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- Available in 2 colour options: BT8511/BB - Black Base with Black Poles, BT8511/BC - Black Base with Chrome Poles

















BT8520 **Medium Screens**

Twin Screen Video Conferencing Stand with Camera Shelf

1.5m Poles (longer Poles available on request)

- Heavy duty stylish flat screen stand suitable for holding two screens up to 32" (81cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Available in 2 colour options: BT8520/BB - Black Base with Black Poles, BT8520/BC - Black Base with Chrome Poles















BT8521

Medium / Large Screens

Twin Screen Video Conferencing Stand with Camera Shelf

1.5m Poles (longer Poles available on request)

- Heavy duty stylish flat screen stand suitable for holding two screens up to 42" (107cm) / 35kg per screen
- Fits screens with mounting patterns up to H: 825mm x V: 500mm including screens using VESA® fixings up to 800 x 500mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Available in 2 colour options: BT8521/BB - Black Base with Black Poles, BT8521/BC - Black Base with Chrome Poles















BT7864




Twin Pole VC Shelf

VC Camera Shelf for Twin Pole Floor Stands

- Designed to mount a video conferencing camera centrally between 2 poles
- Ideal for use with B-Tech trolleys and floor stands
- Max load 4kg
- Compatible with single and double attachment collars (sold separately)
- Compatible with ø50mm and ø60mm collars

Custom Flat Screen Floor Stands



Base dimensions: 1660mm x 810mm

Custom Flat Screen Floor Stands

Floor Stand Mounting System

This chart shows parts for typical screen mounting application and is not an exhaustive list of mounting options.

Pole Suitability Key > SAFE FOR FREE STANDING





Step 3

then add Collars...

Step 4

now the Screen Mount...

Complete Floor Stand Example

BT7260 or BT4041 ø60mm Collar(s) Required





(1 or 2 required depending which mount is selected in step 4)

Flat Screen Mounts

BT7510, BT7511, BT7521, BT7522, BT7523 or BT7505 (1x BT7260 or 1x BT4041 Collar required)

BT7514 (Short Arm), BT7518 or BT7532

(2x BT7260 or 2x BT4041 Collar required)



BT7260 or BT4041 ø60mm Collar(s) Required





(1 or 2 required depending which mount is selected in step 4)

Flat Screen Mounts

BT7510, BT7511, BT7521, BT7522, BT7523 or BT7505

(1x BT7260 or 1x BT4041 Collar required)

BT7514 (Short Arm), BT7518 or BT7532

(2x BT7260 or 2x BT4041 Collar required)



4x BT4041ø60mm **Collars Required**



2x BT7060 Ø60mm **Collars Required**



Flat Screen Interface Kits BT8009 plus BT7507 or BT8500

Flat Screen Interface Kits BT8431-PRO or BT8432-PRO



LARGE

4x BT4041 Ø60mm Collars

(for Single or Back-to-Back mounting)




2x BT7060 Ø60mm Collars

(for Single or Back-to-Back mounting)



Flat Screen Interface Kits 1x or 2x BT8009 plus BT7507 or BT8500

(for Single or Back-to-Back mounting)



1x or 2x BT8431-PRO or BT8432-PRO

(for Single or Back-to-Back mounting)



2x BT4041 ø60mm Collars (when 1 pole used) or 4x BT4041 ø60mm Collars (when 2 poles used)





2x BT4041 ø60mm Collars (when 1 pole used) or 2x BT7060 ø60mm Collars (when 2 poles used)





Flat Screen Interface Kits BT8009 plus BT7507 or BT8500

Flat Screen Interface Kits BT8431-PRO or BT8432-PRO



4x BT4041 Ø60mm Collars

(for Single or Back-to-Back mounting)



Flat Screen Interface Kits BT9903



AV Accessory Shelves

BT7166

Premium Glass Shelf

BT7167 Premium Glass Shelf

Accessory Shelf for use with BTF801

Accessory Shelf for use with BTF810 / BTF811 - see page 41



- Designed for AV equipment such as DVD / Blu-ray® players and games consoles up to 10kg
- Glass Shelf thickness: 8mm
- Dimensions: **W:** 450mm **D:** 365mm
- Tempered glass toughened to BS6206A standard
- Can also be wall mounted





Designed for AV equipment such as DVD / Blu-ray® players and games consoles up to 10kg

- Glass Shelf thickness: 8mm
- Dimensions: **W:** 450mm **D:** 365mm
- Tempered glass toughened to BS6206A standard





- see page 41

BT7172 Glass Shelf



Small Glass Shelf

- Can be mounted across 1 pole
- Shelf dimensions: 350mm x 300mm
- 10mm thick tempered safety glass
- Must be used with B-Tech Collar when pole mounted

BT7173 Glass Shelf



Medium Glass Shelf

- Can be mounted across 1 pole
- Shelf dimensions: 470mm x 310mm
- 10mm thick tempered safety glass
- Must be used with B-Tech Collar when pole mounted

BT7174 Glass Shelf



B-TECH PROFESSIONAL

Large Glass Shelf

- Can be mounted across 1 or 2 poles
- Shelf dimensions: 500mm x 380mm
- 10mm thick tempered safety glass
- Must be used with B-Tech Collar when pole mounted

AV Accessory Shelves

BT7032 **Steel AV Shelf**



Large AV Accessory Shelf

- Designed to be mounted directly to a wall* or to poles - when used in conjunction with B-Tech collars
- Holds AV equipment up to 15kg when used with double poles or 7.5kg when used with a single pole
- Shelf dimensions: 500mm x 380mm
- Available in durable black powder coated finish

*When used with BT7075 see below for more info













BT7030 **Small Shelf**

Small MDF Component Shelf



- Max Load: 5kg
- 300mm x 300mm
- Must be used with B-Tech accessory collar







BT7036 Projector Shelf

MDF Projector Shelf



- Max Load: 5kg
- 360mm x 360mm with tilt and safety rails
- Must be used with B-Tech accessory collar







Wall Plate

BT7037 **Small Shelf**

Small Component Shelf



- Max Load: 8kg
- Best suited for equipment up to 430mm wide and 330mm deep
- Must be used with B-Tech accessory collar







BT7038 **Large Shelf** Large **AV Componet Shelf**



- Max Load: 8kg
- Best suited for equipment up to 430mm wide and 260mm deep
- Must be used with B-Tech accessory collar







VC Shelf

BT7075


Modular Wall Plate



- Wall mount BT7174 AV shelf using two Modular Wall Plates
- Maximum load with shelf: 10kg
- Cable Hole: 40mm x 20mm

BT7868

Wall Mounted VC Camera Shelf



- Fits most VC cameras with 1/4 inch thread
- Features 100x100mm fixing points
- Ideal for Radvision® XT5000 Codec





Registered Design Number: 4010384







Ceiling Mounts - Fixed Drop

BT5810 Fixed - Small



Flat Screen Ceiling Mount

- Ceiling mount designed for screens up to 23" (58cm) / 20kg
- Suitable for screens using VESA® fixings up to 100 x 100mm
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Available in 2 lengths

BT5810-075 Ceiling drop*: 795mm

BT5810-150 Ceiling drop*: 1545mm







BT5811



Flat Screen Ceiling Mount with Tilt

- Ceiling mount designed for screens up to 23" (58cm) / 20kg
- Suitable for screens using VESA® fixings up to 100 x 100mm
- Features +17° / -10° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Available in 2 lengths

BT5811-075

Ceiling drop*: 795mm

Tilt - Small

BT5811-150

Ceiling drop*: 1545mm











BT5812

Back-to-Back - Small



Back-to-Back Flat Screen Ceiling Mount with Tilt

- Ceiling mount designed for two screens up to 23" (58cm) / 20kg per screen
- Suitable for screens using VESA® fixings up to 100 x 100mm
- Features +17° / -10° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Available in 2 lengths

BT5812-075

Ceiling drop*: 809mm

BT5812-150

Ceiling drop*: 1559mm











BT5832 Fixed - Medium



Flat Screen Ceiling Mount

- Ceiling mount designed for screens up to 32" (81cm) / 25kg
- Suitable for screens using VESA® fixings up to 200 x 200mm
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Available in 2 lengths

BT5832-075 Ceiling drop*: 795mm

Ceiling drop*: 1545mm BT5832-150

*to centre of mount

Tilt - Medium







BT5833

Flat Screen Ceiling Mount with Tilt



- Suitable for screens using VESA® fixings up to 200 x 200mm
- Features +/-40° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Available in 2 lengths

BT5833-075 Ceiling drop*: 795mm

BT5833-150 Ceiling drop*: 1545mm

*to centre of mount

Back-to-Back - Medium











BT5834

Back-to-Back Flat Screen Ceiling Mount with Tilt



- Suitable for screens using VESA® fixings up to 200 x 200mm
- Features +/-40° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Available in 2 lengths

BT5834-075 Ceiling drop*: 809mm BT5834-150 Ceiling drop*: 1559mm

*to centre of mount











Ceiling Mounts - Fixed Drop

BT7553 Tilt & Swivel - Small



Flat Screen Ceiling Mount

- Designed for screens using VESA® mounting patterns 75 x 75 or 100 x 100mm up to 23kg
- Features +/ -10° Tilt
- 360° swivel
- 360° screen rotation
- Integrated cable management
- Coverplate included
- Ceiling fixings and all mounting hardware included













Available in 5 lengths

BT7553-025	25cm Pole
BT7553-050	50cm Pole
BT7553-100	1m Pole
BT7553-150	1.5m Pole
BT7553-200	2m Pole

Tilt - Large

BT8424



Flat Screen Ceiling Mount with Tilt

- Flat screen ceiling mount designed for screens up to 55" (140cm) / 35kg
- Fits screens with mounting patterns up to H: 465mm x V: 400mm including screens using VESA® fixings up to 400 x 400mm
- Features +/ -18° Tilt
- Unique 'Torsion-Tilt' mechanism
- Ceiling drop: 1000mm
- Security locking screw, Allen key and locking bars provided
- Integrated cable management
- Simple 'hook-on' installation
- Coverplate included
- Ceiling fixings and all mounting hardware included













Available in 3 lengths

BT8424-100	Ceiling drop*: 1003mm
BT8424-150	Ceiling drop*: 1503mm
BT8424-200	Ceiling drop*: 2003mm

*to centre of mount

Registered Design Number: 001713280-0035 Patent Application Number: 817023.5

Flat Screen Ceiling Features

Have you considered ceiling mounting your screen?

In many situations, ceiling mounting a screen is an attractive alternative to wall mounting. Ideal for open plan areas, ceiling mounting allows you to position your screen in the perfect location in the room, without having to focus the rest of the room around a wall. With solutions for both flat and angled ceilings, for either single or double screens B-Tech have mounting options for virtually any application.



Fixed or Adjustable Tilt



Adjustable Mounting Support



Cable Management



Back-to-Back Mounts

2m Pole

BT7554 Tilt & Swivel - Small



Back-to-Back Flat Screen Ceiling Mount

- Designed for screens using VESA® mounting patterns 75 x 75 or 100 x 100mm up to 23kg per screen
- Features +/ -10° Tilt
- 360° swive
- 360° screen rotation
- Integrated cable management
- Coverplate included
- Ceiling fixings and all mounting hardware included

BT7554-025	25cm Pole
BT7554-050	50cm Pole
BT7554-100	1m Pole
BT7554-150	1.5m Pole

Tilt - Large

Tilt - Extra-Large

Available in 5 lengths

BT7554-200











BT8428

Back-to-Back Flat Screen Ceiling Mount with Tilt



- Designed for two screens up to 55" (140cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Simple tilt adjustment +/-18°
- Unique 'Torsion-Tilt' mechanism
- Integrated cable management
- Pole can be tilted up to 90° for mounting on angled ceilings
- Supplied with safety bolt and locking bars for a secure installation

Available in 3 lengths

BT8428-100 Ceiling drop*: 953mm BT8428-150 Ceiling drop*: 1453mm BT8428-200 Ceiling drop*: 1953mm



BT8429

Back-to-Back Flat Screen Ceiling Mount with Tilt



- Designed for two screens up to 65" (165cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Simple tilt adjustment +/-15°
- Unique 'Torsion-Tilt' mechanism
- Integrated cable management
- Pole can be tilted up to 90° for mounting on angled ceilings
- Supplied with safety bolt and locking bars for a secure installation

Available in 3 lengths

BT8429-100 Ceiling drop*: 953mm BT8429-150 Ceiling drop*: 1453mm BT8429-200 Ceiling drop*: 1953mm

*to centre of mount













Ceiling Mounts - Adjustable Drop

BT8425 Tilt - Large



Flat Screen Ceiling Mount with Adjustable Drop and Tilt

- Flat screen ceiling mount designed for screens up to 55" (140cm) / 35kg
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Adjustable Drop: 668mm 943mm
- Features +/ -18° Tilt
- Unique 'Torsion-Tilt' mechanism*
- Security locking screw, Allen key and locking bars provided
- Integrated cable management
- Simple 'hook-on' installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Minimum Drop

Ceiling drop*: 668mm

Maximum Drop

Ceiling drop*: 943mm









BT8426 Tilt - Large



Adjustable Drop Flat Screen Ceiling Mount with Tilt

- Designed for screens up to 55" (140cm) / 40kg
- Fits screens with VESA® mounting patterns from 75 x 75 up to 400 x 400mm
- Adjustable Drop: 625mm 850mm (from ceiling to centre of interface)
- Easy adjustment of tilt +15° with fixed positions of 0°, +7.5° and +15°

Minimum Drop

Ceiling drop*: 625mm

Maximum Drop

Ceiling drop*: 850mm

*to centre of mount





B-TECH PROFESSIONAL





BT8427 Tilt - Extra-Large



Adjustable Drop Universal Flat Screen Ceiling Mount with Tilt

- Designed for screens up to 65" (165cm) / 70kg
- Fits screens with mounting patterns up to **H:** 755mm x **V:** 410mm including screens using VESA® fixings up to 600 x 400mm
- Adjustable ceiling drop: 658mm 958mm (from ceiling to centre of interface)
- Easy adjustment of tilt +20°

Minimum Drop Ceiling drop*: 658mm **Maximum Drop**

Ceiling drop*: 958mm

65" (70kg) (20)

BT8447 Tilt - Extra-Large



VESA 800 500 500 165cm 500 155cm

Flat Screen Ceiling Mount with Adjustable Drop and Tilt

- Flat screen ceiling mount designed for screens up to 65" (165cm) / 35kg
- Fits screens with mounting patterns up to **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Adjustable Drop: 668mm 943mm
- Features +/ -15° Tilt
- Unique 'Torsion-Tilt' mechanism*
- Security locking screw, Allen key and locking bars provided
- Integrated cable management
- Simple 'hook-on' installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Minimum Drop

Ceiling drop*: 668mm

Maximum Drop

Ceiling drop*: 943mm

*to centre of mount

Fixed Drop Projector Mounts

BT5890-010 **Short Drop**





Projector Ceiling Mount

- Projector ceiling mount designed for projectors up to 10kg
- Integrated cable management
- Keyhole hook-on feature for easy installation
- +/- 15° tilt adjustment, +/- 15° roll adjustment and 360° swivel
- Maximum distance between any 2 fixing points: 493mm
- Maximum fixing square: 300 x 300mm or 400 x 200mm
- Projector can be mounted directly to the carousel
- Suitable for projectors using M2.5, M3, M4, M5 and M6 fixings
- Ceiling drop: 190mm
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included











BT5890-010

Ceiling drop: 190mm

BT5890 **Long Drop**



Projector Ceiling Mount

- Projector ceiling mount designed for projectors up to 10kg
- Integrated cable management
- Keyhole hook on feature for easy installation
- +/- 15° tilt adjustment, +/- 15° roll adjustment and 360° swivel
- Maximum distance between any 2 fixing points: 493mm
- Maximum fixing square: 300 x 300mm or 400 x 200mm
- Projector can be mounted directly to the carousel
- BT5890-150 includes additional holes along pole to allow pole to be cut to desired length
- Suitable for projectors using M2.5, M3, M4, M5 and M6 fixings
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Available in 2 lengths

BT5890-100

Ceiling drop: 1000mm

BT5890-150

Ceiling drop: 1645mm









B-TECH PROFESSIONAL





Adjustable Projector Mounts

BT881

Short Drop

Heavy Duty



Projector Ceiling Mount

- Designed for projectors up to 10kg
- Mounts projector only 115mm from ceiling or 280mm with supplied extension rod
- Features +/-90° tilt adjustment, +/-90° roll adjustment and 360° swivel
- Maximum distance between any two fixing points on projector: 340mm



Projector Ceiling Mount with Micro-Adjustment

- Designed for projectors up to 25ka
- Compatible with the B-Tech System 2[™] Professional Range and NPT pipe systems (see page 68 for more info)
- Features +/-13° tilt, +/-6° roll and 360° swivel
- Maximum distance between any two fixing points: 370mm



BT899-XL

BT883

BT899

Extra Large Projector Ceiling Mount with Micro-Adjustment

- Maximum distance between any two fixing points: 493mm
- Compatible with System 2 see page 68 for more info











BT882

Medium Adjustable Drop

Projector Ceiling Mount with Adjustable Drop



- Features +/-90° tilt, +/-90° roll and 360° swivel
- Suitable for angled / cathedral ceilings
- Maximum distance between any two fixing points on projector: 340mm
- Hand lever for easy adjustment of ceiling drop:

Min: 580mm Max: 830mm

















Long Adjustable Drop

Projector Ceiling Mount with Adjustable Drop

- Designed for projectors up to 10kg
- Features +/-90° tilt, +/-90° roll and 360° swivel
- Suitable for angled / cathedral ceilings
- Maximum distance between any two fixing points on projector: 340mm
- Hand lever for easy adjustment of ceiling drop:

Min: 830mm Max: 1330mm



BT884

Available in 2 lengths







■ Telescopic arm mounts projector 400mm - 575mm from wall

BT884-L

Telescopic arm mounts projector 880mm - 1510mm from wall

Short Throw

Short Throw Projector Wall Mount with Adjustable Arm

- Designed for Short Throw Projectors up to 10kg
- Features +/-20° tilt and +/-20° roll
- Telescopic design for correct projector positioning
- Cable management included
- Coverplate included for smart installation
- Maximum distance between any two fixing points: 300mm











Flat Screen Desk Mounts

Premium Desk Mounts

Fixed



BT7371

- Designed for screens up to 28" (71cm) / 9kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included

Single Arm



BT7372

- Designed for screens up to 28" (71cm) / 9kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 285mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included

Double Arm



BT7373

- Designed for screens up to 28" (71cm) / 9kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 457mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included

Twin Screen



BT7374

- Designed for 2 screens up to 28" (71cm) / 9kg per screen
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 457mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included













Full Motion Desk Mounts

Single Arm



BT7382

- Designed for screens up to 28" (71cm) / 9kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 390mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included

















BT7383

- Designed for screens up to 28" (71cm) / 9kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 560mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included


Twin Screen



BT7384

- Designed for 2 screens up to 28" (71cm) / 9kg per screen
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 560mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included





Flat Screen Desk Mounts

Premium and Full Motion Mounting Accessories

Accessory Shelf



BT6045

- Designed for use with B-Tech Full Motion Desk Mount Range
- Creates an ergonomic workstation for a laptop computer or telephone up to 9kg
- Fits to mounts with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Platform dimensions: 250mm x 250mm





* Example installation shows BT6045 mounted to BT7382 desk mount (available separately)

Wall Mounting Adaptor



BT7399

- Designed to attach any B-Tech Premium or Full Motion Desk Mount to the wall
- Retains all movement functionality of the attached desk mount
- Features built in 'level bubble'
 - * Mount sold separately





360° Desk Mounts available in various heights





BT7554

Back-to-Back

BT7553

Single

- Designed for screens using VESA® mounting patterns 75 x 75 or 100 x100mm up to 23kg per screen
- Easy tilt adjustment +/- 10°
- 360° swivel
- 360° screen rotation
- Integrated cable management
- Can be mounted to the ceiling, floor or desktop













Available in five heights

BT7553-025 / BT7554-025: 25cm Pole BT7553-050 / BT7554-050: 50cm Pole BT7553-100 / BT7554-100: 1m Pole BT7553-150 / BT7554-150: 1.5m Pole BT7553-200 / BT7554-200: 2m Pole

Tablet Enclosures and Display Stands

BT7390

Secure Tablet Enclosure



Tablet Enclosure

Tablet enclosure providing secure housing for most tablets, including iPad® 2, 3 and 4 variations* Please consult our sales team for more information on tablet compatibility

- Can be fitted directly to the wall or to any B-Tech bracket that uses 100 x 100 VESA® fixing pattern
- Enclosure is lockable to prevent un-authorised access
- Integrated cable management allows access for power cable
- Colours available: black, silver and white



Home Button Clip



BT7392

Home Button Clip for BT7390

- Restrictive clip to prevent use of home button
- Colours available: black, silver and white



Display Stand for Tablets



Floor Stand for use with BT7390*

- Height: 1000mm
- Integrated cable management
- Colours available: black, silver and white

*BT7390 available separately - see above



Curved Display Stand for Tablets





Curved Floor Stand for BT7390*

- Height: 1000mm
- Integrated cable management
- Colours available: black, silver and white

*BT7390 available separately - see above



Tablet Desk & Wall Mounts

Screw Down Desk Mount for use with BT7390* Screw down Tablet Desk Mount designed to allow BT7390 Tablet Enclosure to be mounted directly to a desk Colours available: black, silver or white *BT7390 available separately - see previous page BT7390 BT7394

Freestanding Base for use with

 Designed to attached to the bottom of BT7390 to create a freestanding Base that can be easily moved from location to location

BT7394* Screw Down Desk Mount

- Must be used with BT7390 and BT7394
- Colours available: black, silver or white

*BT7390 and BT7394 available separately - see previous page and above



BT7394 BT7395

BT7396

BT7395

Wall Mount for use with BT7390*

- Wall Mount designed for use with BT7390 Tablet Enclosure
- Integrated cable management
- Colours available: black, silver or white

***BT7390** available separately - see previous page



Tablet Wall Mount

Tablet Desk Mount Base











The Professional's Choice for Audio Video Mounts and Supports

The System 2 range is a component based system designed for professional AV installations. For greater flexibility and convenience, components are supplied individually and can be used to create custom installations to suit almost any application. The range works on a modular principle utilising 50mm (2") diameter poles which can be mounted to the wall, ceiling, floor or to specialist structures such as joists or purlins. The range can also be used with B-Tech professional flat screen wall mounts as well as the new System X Range of video wall/menu board mounts to create one of the most versatile mounting systems in the world.



QUICK-START GUIDE FLAT SCREEN CEILING MOUNTS BASIC INSTALLATION

This quick start guide demonstrates the steps taken to create a basic flat screen ceiling installation using the System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs.

For more information or to see how the range can be used in alternative installations, please contact us at info@btechaymounts.co.uk

STEP 1: Choose a ceiling mount

PRODUCT CODE	DE DESCRIPTION	
CEILING MOUNT	3	
BT7807	Heavy Duty Twin Pole Floor/Ceiling Mount	
BT7808	Ceiling / Wall Mount with Tilt	
BT7822 (Pictured)	Heavy Duty Floor/Ceiling Mount	
BT7851*	Telescopic Ceiling Mount	
SPECIALIST MOU	JNTS	
BT7012	Purlin Mount	
BT7014	Joist Mount	
BT7017	I-Beam (Girder) Mount	
BT7803	Wall Mount	
BT7825	Truss Clamp	
BT7831	Wall Mounting Bracket	

*BT7851 Telescopic Ceiling Mount does not require an additional pole - go straight to step 3

STEP 2: Choose a Ø50mm pole

PRODUCT CODE	LENGTH*
POLES	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100 (Pictured)	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300	3m

*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a joiner below

PRODUCT CODE	DESCRIPTION
JOINER	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner





STEP 3:

CHOOSE A SCREEN MOUNT

PRODUCT COI	DE DESCRIPTION	COLLARS REQ
SCREEN MOUN	ITS	
BT7510	Small Flat Screen Mount	
BT7511 (Pictured)	Small Flat Screen Mount	1
BT7518	Small Flat Screen Mount	2
BT7521	Medium Flat Screen Mount	1
BT7522	Medium Flat Screen Mount	
BT7523	Medium Flat Screen Mount	1
BT7524	Medium Flat Screen Mount	2
BT7532	Medium Flat Screen Mount	2
BT7551	Small Flat Screen Mount	.0
BT7552	Small Back-to-Back Flat Screen Mount	0
BT8009*	Large Flat Screen Mount	2
BT8026*	Large Flat Screen Mount	0
BT8027*	Large Flat Screen Mount	0
BT8431-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT8432-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT9903	Heavy Duty Flat Screen Wall Mount	4 (Twin Pole Only)

*Must be used with BT7507 or BT8500 flat screen interface kit

STEP 4:

CHOOSE A COLLAR (IF REQUIRED)

PRODUCT CODE	DESCRIPTION
COLLARS	
BT7051	Heavy Duty Accessory Collar
BT7052	Accessory Collar
BT7841 (Pictured)	2-Piece Accessory Collar
TAUL CONTRACTOR OF THE PARTY OF	

Please note some screen mounts do not require an accessory collar, please see **Step 3** for collar requirements





QUICK-START GUIDE PROJECTOR MOUNTS BASIC INSTALLATION

This quick start guide demonstrates the steps taken to create a basic projector ceiling mount using the System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs.

For more information or to see how the range can be used in alternative installations, please contact us at

info@btechavmounts.co.uk

STEP 1: Choose a ceiling mount

PRODUCT CODE	DESCRIPTION
CEILING MOUNTS	
BT7808	Ceiling / Wall Mount with Tilt
BT7822	Heavy Duty Floor/Ceiling Mount
BT7851* (Pictured)	Telescopic Ceiling Mount
SPECIALIST MOUNTS	
BT7012	Purlin Mount
BT7014	Joist Mount
BT7017	I-Beam (Girder) Mount
BT7803	Wall Mount
BT7825	Truss Clamp

*BT7851 Telescopic Ceiling Mount does not require an additional pole - go straight to step 3

STEP 2: Choose a Ø50mm pole

PRODUCT CODE	LENGTH*
POLES	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100 (Pictured)	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300	3m

*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a Joiner below

PRODUCT CODE	DESCRIPTION
JOINERS	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner





QUICK-START GUIDE CCTV INSTALLATIONS

INTERMEDIATE INSTALLATION

This quick start guide demonstrates the steps taken to create a CCTV installation using the System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs. Start with the basics and add additional devices such as screens or accessories as

For more information or to see how the range can be used in alternative installations, please contact us at

info@btechavmounts.co.uk



STEP 1: **CHOOSE A CEILING MOUNT**

	PRODUCT CODE	DESCRIPTION
	CEILING MOUNTS	
	BT7808 (Pictured)	Ceiling / Wall Mount with Tilt
	BT7822	Heavy Duty Floor/Ceiling Mount
	BT7851*	Telescopic Ceiling Mount
-	SPECIALIST MOUNTS	
2	BT7012	Purlin Mount
-	BT7014	Joist Mount
	BT7017	I-Beam (Girder) Mount
-	BT7803	Wall Mount
	BT7825	Truss Clamp

*BT7851 Telescopic Ceiling Mount

does not require an additional pole - go straight to step 3



STEP 2: **CHOOSE A Ø50MM POLE**

PRODUCT CODE	LENGTH*
POLES	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100 (Pictured)	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300	3m

*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a Joiner below

PRODUCT CODE	DESCRIPTION
JOINER	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner

STEP 3: **CHOOSE A CCTV MOUNT**

PRODUCT CODE	DESCRIPTION
CAMERA MOUNT	
BT6010 (Pictured)	Security Dome Camera Mount



STEP 4 (OPTIONAL):

CHOOSE A SCREEN MOUNT

PRODUCT CODE	DESCRIPTION	COLLARS REQ
SCREEN MOUNTS		
BT7510	Small Flat Screen Mount	1
BT7511	Small Flat Screen Mount	1
BT7518	Small Flat Screen Mount	2
BT7521	Medium Flat Screen Mount	1
BT7522	Medium Flat Screen Mount	1
BT7523 (Pictured)	Medium Flat Screen Mount	1
BT7524	Medium Flat Screen Mount	2
BT7532	Medium Flat Screen Mount	2
BT8009*	Large Flat Screen Mount	2
BT8026*	Large Flat Screen Mount	0
BT8027*	Large Flat Screen Mount	0
BT8431-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT8432-PRO	Large Flat Screen Mount	2 (BT7841 only)
*Must be used with BT75	507 or BT8500 flat screen interface l	kit

STEP 5:

CHOOSE A COLLAR* (IF REQUIRED)

PRODUCT CODE	DESCRIPTION
COLLARS	
BT7051	Heavy Duty Accessory Collar
BT7052	Accessory Collar
BT7841 (Pictured)	2-Piece Accessory Collar

*Please note some screen mounts require more than 1 accessory collar, please see **Step 4** for collar requirements



QUICK-START GUIDE FLOOR TO CEILING INSTALLATION ADVANCED INSTALLATION

This quick start guide demonstrates the steps taken to create an advanced floor-to-ceiling installation using the System 2 range. Customise your installation as desired with an almost endless amount of screens and accessories using our diverse range of System 2 compatible mounts.

For more information or to see how the range can be used in alternative installations, please contact us at info@btechavmounts.co.uk

STEP 1: Choose a Ceiling Mount

PRODUCT CODE	DESCRIPTION
CEILING MOUNTS	
BT7807 He	eavy Duty Twin Pole Floor/Ceiling Mount
BT7808	Ceiling / Wall Mount with Tilt
BT7822 (Pictured)	Heavy Duty Floor/Ceiling Mount
SPECIALIST MOUNTS	
BT7012	Purlin Mount
BT7014	Joist Mount
BT7017	I-Beam (Girder) Mount
BT7825	Truss Clamp
RT7931	Wall Mounting Bracket

STEP 2: Choose a Ø50mm pole

PRODUCT CODE	LENGTH*
POLES	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300 (Pictured)	3m

*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a Joiner below

PRODUCT CODE	DESCRIPTION
JOINER	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner

STEP 3:

CHOOSE A FLOOR FIXING

PRODUCT CODE	DESCRIPTION
FLOOR FIXING	
BT7056 (Pictured)	Floor Fixing Kit
BT7807	Heavy Duty Twin Pole Floor/Ceiling Mount
BT7822	Heavy Duty Floor/Ceiling Mount







STEP 4:

CHOOSE A SCREEN MOUNT

PRODUCT CODE	DESCRIPTION	COLLARS REQ
SCREEN MOUNTS	5	
BT7510	Small Flat Screen Mount	1
BT7511 (Pictured)	Small Flat Screen Mount	1
BT7518	Small Flat Screen Mount	2
BT7521	Medium Flat Screen Mount	1
BT7522	Medium Flat Screen Mount	1
BT7523	Medium Flat Screen Mount	1
BT7524	Medium Flat Screen Mount	2
BT7532	Medium Flat Screen Mount	2
BT8009*	Large Flat Screen Mount	2
BT8026*	Large Flat Screen Mount	0
BT8027*	Large Flat Screen Mount	0
BT8431-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT8432-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT9903	Heavy Duty Flat Screen Wall Mount	4 (Twin Pole Only)

^{*}Must be used with BT7507 or BT8500 flat screen interface kit

STEP 5 & STEP 7:

CHOOSE COLLARS* (IF REQUIRED)

1	PRODUCT CODE	DESCRIPTION
(COLLARS	
E	BT7051	Heavy Duty Accessory Collar
E	BT7052	Accessory Collar
- [BT7841 (Pictured)	2-Piece Accessory Collar
	*Please note some mounts and accessories require more than 1 accessory collar please see Step 4 and 6 for collar requirements	

STEP 6 (OPTIONAL): CHOOSE ACCESSORIES

PRODUCT CODE	DESCRIPTION	COLLARS REQ
SHELVES & ACCESSORIES		
BT7030	Small MDF Component :	Shelf 1
BT7032 (Pictured)	AV :	Shelf 1 or 2*
BT7036	MDF Projector :	Shelf 1
BT7037	Small Component :	Shelf 1
BT7038	Large Component :	Shelf 1
BT7172	Small Glass AV :	Shelf 1
BT7173	Medium Glass AV :	Shelf 1
BT7174	Large Glass AV :	Shelf 1 or 2*
BT7860 (Pictured)	Apple® TV M	ount 1
BT7863 (Pictured)	VC Camera :	Shelf 1
BT7864	Twin Pole VC Camera :	Shelf 2
BT7865 (Pictured)	Keyboard and Mouse :	Shelf 2

*BT7032/BT7174 can be mounted on single or twin poles





SYSTEM 2

QUICK-START GUIDE TWIN POLE FLOOR-TO-CEILING **VIDEO WALL INSTALLATION ADVANCED INSTALLATION**

This quick start guide demonstrates how the System 2 Range can be used in advanced configurations, using multiple poles and adaptors to create complex structures capable of supporting large installations such as video walls.

For more information or to see how the range can be used in alternative installations, please contact us at info@btechavmounts.co.uk

STEP 1: **CHOOSE A CEILING MOUNT**

PRODUCT CODE	DESCRIPTION
CEILING MOUNTS	
BT7822	Heavy Duty Floor/Ceiling Mount
BT7807 (Pictured)	Heavy Duty Twin Pole Floor/Ceiling Mount
BT7808	Ceiling / Wall Mount with Tilt
SPECIALIST MOU	NTS
BT7012	Purlin Mount
BT7014	Joist Mount
BT7017	I-Beam (Girder) Mount
BT7825	Truss Clamp
BT7831	Wall Mounting Bracket

STEP 2 & STEP 6: **CHOOSE A Ø50MM POLE**


PRODUCT CODE	LENGTH*
POLES	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300 (Pictured)	3m

*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a Joiner below

PRODUCT CODE	DESCRIPTION
JOINER	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner

STEP 3: **CHOOSE A FLOOR FIXING**

PRODUCT CODE	DESCRIPTION
FLOOR FIXING	
BT7056	Floor Fixing Kit
BT7807 (Pictured)	Heavy Duty Twin Pole Floor/Ceiling Mount
BT7822	Heavy Duty Floor/Ceiling Mount



PRODUCTCODE	DESCRIPTION	COLLARS	REQ
HORIZONTAL TO	VERTICAL POLE A	DAPTOR	
BT7025 (Pictured)	Horizontal Pole Adag	otor 2 (pe	er pole)

011000		OUITI		477.
PRODUCT	CODE	DESCRIPTION	COI	LARS REQ
SCREEN N	OUNTS			
BT8310	Pop-In	ı, Pop-Out Video Wall Mo	unt	2 per pole
BT8311	Pr	ofessional Video Wall Mo	unt	2 per pole
BT9903	Heavy	Duty Flat Screen Wall Mo	unt	4 (2 per pole)

Accessory Collar



B-TECH PROFESSIONAL COMPONENT SYSTEM

R A N G MOUNTING 2 P O L E SYSTEM

The System 2 range is a component based system designed for professional AV installations. For greater flexibility and convenience, components are supplied individually and can be used to create custom installations to suit almost any application. The range works on a modular principle utilising 50mm (2") diameter poles which can be mounted to the wall, ceiling, floor or to specialist structures such as joists or purlins. Any number of AV mounts and accessories can then be added using B-Tech accessory collars.







50mm Poles & Pole Mounts

BT7850

50mm Diameter Poles

50mm Diameter Poles

- Available in black, silver or chrome *Please note 3m model is not available in silver
- Can be cut to length if required
- Poles are internally unobstructed to allow cables to pass through easily
- Features safety bolt holes at top and bottom for secure installation
- Poles can be linked together using BT7823 or BT7824 Joiners
- Includes BT7057 pole ring

Lengths Available: BT7850-025 - (0.25m), BT7850-050 - (0.5m), BT7850-100 - (1m), BT7850-150 - (1.5m), BT7850-200 - (2m), *BT7850-300 - (3m)

BT7822

Fixed

Heavy Duty Ceiling / Floor Mount for Ø50mm Poles

- Can be used to mount poles to the ceiling or to the floor
- Heavy Duty steel capable of supporting substantial loads
- Cover plate included for smart installation.
- Includes grub screws which allow micro-adjustment of pole angle
- Supplied with safety bolt for a secure install
- Ceiling plate diameter: 150mm
- Ceiling drop: 141mm
- Pole sold separately

max load can be increased when being used as part of a floor to ceiling installation*

BT7807

Fixed Twin

Heavy Duty Twin Floor / Ceiling Mount for Ø50mm Poles



- Can be used to mount poles to the ceiling or to the floor
- Heavy Duty steel capable of supporting substantial loads Includes grub screws which allow micro-adjustment of pole angle
- Speeds up twin pole installations by eliminating need to measure distance between pole centres
- Supplied with safety bolt for a secure install
- Plate dimensions: 426mm x 150mm
- Elavation / ceiling drop: 141mm
- Pole sold separately

max load can be increased when being used as part of a floor to ceiling installation

BT7808

Heavy Duty Ceiling Mount with Tilt for ø50mm Poles



- Ideal solution to pole mount screens and projectors to flat or angled ceilings
- Allows poles to be mounted on to walls in landscape or portrait configurations
- Supplied with safety bolt for a secure install
- +/-90° Tilt of pole for angled ceilings
- Max Load: 140kg
- Pole sold separately

BT7831

Wall Mounting Bracket for ø50mm Poles





Allows poles to be mounted vertically on to walls

- Ideal for use with B-Tech ceiling / floor mounts to create ceiling-to-wall or floor-to-wall installations
- Heavy duty steel capable of supporting substantial loads
- Supplied with safety bolt for secure installation

BT7851

Adjustable Drop

Telescopic Ceiling Mount For ø50mm Poles

- Ceiling drop: 600mm 1000mm in 25mm increments
- Ceiling plate diameter: 150mm
- Cover plate included for smart installation
- Cable management
- Longer drop available using BT7823 Pole Joiner and any BT7850-Pole

BT7803

Wall Arm with Swivel

Wall Mounting

for ø50mm Poles

Wall Arm

- Single arm for 180° swivel
- Cover plate included for smart installation
- Supplied with safety bolt for secure installation
- Arm length: 535mm
- Pole sold separately





Specialist Pole Mounts & Accessories

50mm Pole **Mounting System**

Purlin Mount for Ø50mm Poles Adjustable purlin mount for use with 50mm poles Cable management Supplied with safety bolt for secure installation Locking bolt included to securely set the pole vertical at any angle up to 45° Fits "Cee" and "Zee" section purlin with a minimum height of 95mm Can also be mounted to beams and girders Pole sold separately

BT7017

I-Beam (Girder) Mount

I-Beam Girder Mount for Ø50mm Poles

- Adjustable I-Beam (girder) mount for use with 50mm poles
- Cable management
- Supplied with safety bolt for secure installation
- Locking bolt included to securely set the pole vertical at any angle up to 36°
- Fits I-Beams and thick steel from 80mm 250mm in width
- Pole sold separately

Joist Mount for Ø50mm Poles Designed to be mounted to the side / underside of a beam / joist Supplied with safety bolt for secure installation Can be bolted through a joist using supplied back plates Screws / bolts not included Pole sold separately



140kg (\$36') (\$36')

Truss Clamp

Truss Mount for Ø50mm Poles

- Adjustable adaptor for attaching 50mm poles to truss systems, scaffolding and other horizontal poles
- Cable management
- Supplied with safety bolt for secure installation
- Fits truss size from 42mm 50mm
- Zinc plated clamp
- Pole sold separately





External Pole Joiner

Allows a rigid join of 2x ø50mm poles

Pole Joiners

- Heavy duty steel supports substantial loads with minimal movement
- Allows cables to pass through the poles and joiner
- Allows cable access mid-pole
- Supplied with safety bolts for secure install
- Includes grub screws which allow micro-adjustment of pole angle
- Poles sold separately





Floor Fixing Kit

50mm PolesAllows poles to be fixed to the

Floor Fixing Kit for

- Allows poles to be fixed to the floor to prevent lateral movement in a floor to ceiling installation
- Cover can be retro-fitted onto poles, using new split design
- Suitable for most floor types including concrete and wooden floors
- Black or Chrome cover for a smart installation

Collars, Shelves & Accessories





50mm Heavy Duty **Accessory Collar**

- Heavy duty accessory collar for use with 50mm poles
- Double attachment
- Choice of 3 colours: Black, Silver or Chrome cover plate

BT7841 2-Piece Collar





50mm Accessory Collar

- Accessory collar for use with 50mm poles
- Can be retro fitted to existing installations
- Split design allows collar to clamp tightly to poles without marking them
- Includes safety grub screws for use with existing holes in the pole





End Cap

End Cap for Ø50mm Poles

Designed to fit any 50mm pole



End Ring

End Ring for Ø50mm Poles


- Creates a neat appearance at either end of any B-Tech 50mm pole
- Protects cables against the rough edge of hand sawn poles

BT7025

Horizontal Collar Adaptor

Collar Adaptor for Horizontal Poles

 Allows poles to be mounted horizontally across fixed vertical poles *Collars available separately



Visit www.btechavmounts.com/BT7025 for more configurations


BT7862

BT7057

Twin Pole Adaptor

Accessory Adaptor for Twin Pole Floor Stands





- Ideal for use with B-Tech trolleys
- Max load 40kg
- Compatible with single and double attachment collars (available separately)
- Compatible with ø50mm and ø60mm collars

BT7863

VC Shelf

Designed to mount video conferencing cameras to poles

VC Camera Shelf

- Fits most VC cameras with 1/4 inch thread
- Features 100x100mm fixing points
- Ideal for Radvision® XT5000 Codec
- Max load 4kg



BT7864





*Poles and collars available separately

Twin Pole VC Shelf



- Designed to mount a video conferencing camera centrally between 2 poles
- Ideal for use with B-Tech trolleys
- Max load 4kg
- Compatible with single and double attachment collars (sold separately)
- and ø60mm collars

BT7865

Computer Peripheral Shelf

Keyboard and Mouse Shelf for Pole Mounting



- Fixed tilt angle of 10°
- Max kevboard size: **W:** 465mm x **D:** 175mm
- Usable space for mouse: 230 x 255mm
- Compatible with single collars







- sold separately
- *Poles and collars Compatible with ø50mm

Projector, CCTV & AV Player Mounts

BT899

Heavy Duty Projector Mount

BT899-XL

Extra-Large Projector Mount


Extra Large Pole Mounted Projector

Ceiling Mount with Micro Adjustment

Pole Mounted with Micro-Adjustment







- Features +/-13° tilt, +/-6° roll and 360° swivel
- Maximum distance between any two fixing points: 370mm
- Pole sold separately



- Same as BT899 but features increased maximum fixing dimensions
- Maximum distance between any two fixing points: 493mm
- Pole sold separately







BT7819-888







Pole Mounted

Universal **Projector Mount**




- Unique carousel mount for simple installation with all mounting hardware included
- Maximum distance between any 2 fixing points: 340mm
- Distance from top of collar to projector: 195mm
- Maximum tilt and swivel at ball joint bracket: 37° in any direction

BT6010

Security Camera Mount

Security Dome Camera Mount





Max: 103.5mm including VESA® 75 x 75mm

- Unique carousel mount for simple installation with all mounting hardware included
- Maximum weight 25kg
- Available in Zinc finish













BT7860

Apple TV* Mount

Apple TV* Mount

- Designed to mount an Apple TV player to your wall or to a pole
- Features +/-90° tilt and 75° swivel
- Open design for greater airflow to keep the device cool
- Features security locking bar and screws to help prevent unauthorised removal of the device
- Compatible with single collars (sold separately)

*TM and ©2013 Apple Inc. All rights reserved.

BT7867

Digital Signage Cradle

Digital Signage Box Cradle



- Cradle designed to mount a digital signage player to a BT7522, BT8431 and BT8432
- Max load 1kg
- Open design for greater airflow to keep the player cool
- Security screws help prevent unauthorised removal of the player
- Made to order based on the dimensions of your device, please ask for details







Mounting Plates & Screen Interfaces

BT8026

Fixed Pole Mount

VESA® Screen Interface



Large Flat Screen Ø50mm Pole Mount

- 2 x 2-Piece split collars included
- Mounts screen in landscape or portrait style
- Security Allen key and screws provided
- Supplied with safety bolt for secure insta**ll**ation
- Simple 'hook-on' installation with all mounting hardware included
- Use with BT8009 for back-to-back screen installations
- Can be used with both vertical and horizontal poles
- Ceiling mounts, pole and flat screen interface sold separately
- Must be used with flat screen interface kit



VESA® Flat Screen Interface Kit

- Suitable for screens up to 70kg
- Fits 75 x 75, 100 x 100, 200 x 100 and 200 x 200mm VESA® mounting patterns
- Suitable for screens using M4, M5, M6 and M8 fixings
- Can be fitted to mount in either landscape or portrait style
- Must be used with a professional screen mounting solution (BT8009 / BT8026 / BT8027)





Tilt Pole Mount

BT8500

BT7507

Universal Screen Interface



Large Flat Screen Ø50mm Pole Mount with Tilt

- 2 x 2-Piece split collars included
- Tilts up to $+20^{\circ}$ with fixed positions of 0°, 15° and 20°
- Mounts screen in landscape or portrait style
- Supplied with safety bolt for secure
- Use with BT8009 for back-to-back screen installations (only one screen will tilt)
- Can be used with both vertical and horizontal poles
- Ceiling mounts, pole and flat screen interface sold separately
- Must be used with flat screen interface kit (BT7507 / BT8500)

VESA 70kg

Universal Flat Screen Interface Kit

- Suitable for screens up to 70kg
- Maximum distance between fixings: **H:** 755mm x **V:** 410mm
- Fits all VESA® fixings up to 600 x 400mm
- Can be fitted to mount in either landscape or portrait style
- Must use with a professional screen mounting solution (BT8009 / BT8026 / BT8027)











BT7861

BT8009

Flat Screen Mounting Plate

Suitable for concrete / brick or stud walls

Low Profile

- up to 12" (30cm)
- Mounts screen only 22mm from wall when a BT7507 interface kit is used and 41mm when a BT8500 is used
- Compatible with BT8026, BT8027 for back-to-back screen mounting
- Fixes to non B-Tech trolley / floor stands (with pole centres 62.5mm - 157.5mm or 204mm - 299mm using accessory collars)
- Fits industry standard 150 x 150mm fixing points
- Collars not included
- Must be used with flat screen interface kit (BT7507/BT8500)



Adaptor Plate for 150 x 150mm fixings

Adaptor Plate

- Designed to attach BT7532 (see page 30) to 150 x 150mm interfaces
- Max load 40kg
- Compatible with ø50mm and ø60mm collars (available separately)

















B-TECH PROFESSIONAL

Flat Screen Mounts

BT7551





VESA 100 (23kg) (360) (360)

Single Flat Screen Mount for Ø50mm Poles

- Suitable for screens using VESA® fixings 75 x 75mm and 100 x 100mm
- Maximum load: 23kg
- +/- 10° tilt adjustment and 360° swivel
- 360° screen rotation
- Integrated cable management
- Keyhole mounting for easy 'hook-on' installation
- Can be used as a ceiling, floor or desktop mount



BT7553

Available as complete ceiling or desk mount packages - page 59, 65



Flat Screen Mount - Double



Back-to-Back Flat Screen Mount for Ø50mm Poles

- Suitable for screens using VESA® fixings 75 x 75mm and 100 x 100mm
- Maximum load: 23kg per screen
- +/-10° tilt adjustment and 360° swivel
- 360° screen rotation
- Integrated cable management
- Keyhole mounting for easy 'hook-on' installation
- Can be used as a ceiling, floor or desktop mount
- Screens can be mounted offset from each other or in-line with each other using the optional adaptor arms



Available as complete ceiling or desk mount packages - page 59, 65




















B-Tech offer an extensive range of products available off-the-shelf. However, if you can't find what you are looking for please contact our sales team to discuss your requirements. If we don't have an off-the-shelf solution which meets your needs, our team of engineers combined with excellent manufacturing facilities enables us to provide bespoke mounting solutions for virtually any application.

This service enables you to specify a custom requirement that isn't catered for by our standard or component ranges. Our highly skilled team of engineers in the UK will design and manufacture a bespoke solution to meet your exact requirements. Working with some of the latest design software and manufacturing technologies allows us to develop and manufacture short run lines and bespoke products in a timely fashion.

If you have a requirement for a product which is not featured in the B-Tech range, please contact us to discuss your requirement.

BESPOKE MOUNTING SOLUTION EXAMPLES



BESPOKE SOLUTIONS

GLOBAL MANUFACTURING NETWORK

A key advantage when using B-Tech Audio Video Mounts for bespoke manufacturing projects are the options provided by B-Tech's established global manufacturing network. Urgent and short run projects can be manufactured in the UK at highly competitive rates. Off-shore manufacturing enables B-Tech to offer even better pricing and our service will still include delivery from our UK warehouse as normal if so desired. FOB sourcing of both standard and bespoke products is also available on request.



1.5

The bespoke service process

1. Design

Contact us with details of the project. One of B-Tech's technical team will then contact you to discuss your requirements further, and develop a brief.

A dedicated B-Tech engineer will be appointed to develop your concept, and drawings will be sent to you for approval. When the solution design has been agreed, an estimated cost and delivery schedule will be supplied.

B-Tech aim to complete the initial design process within 7 days, depending on the complexity of the requirement.

2. Development (Project Dependent)

Initial 3D printed prototypes followed by working samples are extensively assessed and tested, to ensure they meet the required parameters of the project.

Once the design has been approved in writing, a prototype can be manufactured (if required). This working prototype will be sent to you for testing. Any amendments can be made based on your feedback and production drawings finalised.

3. Production and Delivery

A final quotation is submitted and delivery information provided. Once agreed, production will begin, with all stages of manufacturing overseen by your dedicated engineer.

Your product is then packaged to your specification and shipped to your preferred location. Production and delivery times can vary; we will keep you updated at all stages of the process.

Initial consultation and product development is free of charge, with no obligation to purchase*.

* Please ask for details.



In-house, 3D printed prototypes are an important (and convenient) part of the design process.

VENTRY RETAIL RANGE



Ventry Features





The BTV500, BTV510, BTV520, BTV501, BTV511 and BTV521 all include a locking bar which prevents unauthorised screen removal



Built in Spirit Level for easy levelling when mounting on the BTV112, BTV113, BTV114, BTV502, BTV503, BTV504 and BTV514



VESA® Fixing Compatible



Integrated cable management for a tidy installation on the BTV112, BTV113, BTV114, BTV502, BTV503, BTV504 and BTV514



Installation

Ventry Wall Mounts - Small

BTV110

Fixed - Small

BTV113

Single Arm - Small

Ultra-Slim Flat Screen Wall Mount



- Designed for screens up to 23" (58cm) / 20kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Low profile design mounts screen only 15mm from wall



Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: Min: 105mm Max: 240mm
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)





with Tilt and Swivel



Double Arm Flat Screen Wall Mount







BTV112

Tilt and Swivel - Small

BTV114

Double Arm - Small

Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA®mounting patterns: 75 x 75 and 100 x 100mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: 105mm
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)

















- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: Min: 105mm Max: 385mm
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)















Ventry Wall Mounts - Medium

BTV503

BTV500

Fixed - Medium

Single Arm - Medium





- Designed for screens up to 42" (107cm) / 40kg
- Fits screens with mounting patterns up to: **H:** 225mm x **V:** 200mm including screens using VESA® fixings up to 200 x 200mm
- Low profile design mounts screen only 20mm from wall
- Security locking bar to prevent unauthorised screen removal











Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns: 75 x 75 to 200 x 200mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: Min: 105mm Max: 240mm
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)


















Tilt - Medium

Universal Flat Screen Wall Mount with Tilt



- Fits screens with mounting patterns up to: **H:** 225mm x **V:** 200mm including screens using VESA® fixings up to 200 x 200mm
- 5 fixed tilt positions up to $+15^{\circ}$
- Mounts screen only 44mm from wall
- Security locking bar to prevent authorised screen removal

















BTV504

Double Arm - Medium

Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns: 75 x 75 to 200 x 200mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: Min: 105mm Max: 385mm
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)

















Tilt and Swivel - Medium

Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns: 75 x 75 to 200 x 200mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: 105mm
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)














B-TECH CONSUMER

Ventry Wall Mounts - Large / X-Large





BTV511 Tilt - Large **Universal Flat Screen** Wall Mount with Tilt Designed for screens up to 55" (140cm) / 50kg Fits screens with mounting patterns up to: **H:** 430mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm ■ 5 fixed tilt positions up to +15° Mounts screen only 44mm from wall Security locking bar to prevent unauthorised screen removal



BTV514













Double Arm - Large

Ultra-Slim Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 55" (140cm) / 25kg
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Features +/-10° tilt and 180° swivel
- Distance from wall: Min: 35mm

Max: 535mm

■ Integrated Spirit Level and cable management

Furniture

Glass Shelf AV Stands

BTF101 600mm wide



3 Shelf Tempered Black Glass AV Stand

- Designed for screens up to 28"
- Cable management included
- Glass thickness: Top shelf: 6mm, lower shelves: 5mm
- Max weight: Top shelf: 50kg, lower shelves: 25kg
- Dimensions:
 - W: 600mm D: 400mm H: 508mm
- Tempered glass shelves toughened to BS6206A standard

BTF102 800mm wide



3 Shelf Tempered Black Glass AV Stand

- Designed for screens up to 42"
- Cable management included
- Glass thickness: Top shelf: 6mm, lower shelves: 5mm
- Max weight: Top shelf: 50kg, lower shelves: 25kg
- Dimensions: W: 800mm D: 400mm H: 508mm
- Tempered glass shelves toughened to BS6206A standard

1050mm wide

BTF103



3 Shelf Tempered Black Glass AV Stand

- Designed for screens up to 60"
- Cable management included
- Glass thickness: Top shelf: 8mm, lower shelves: 5mm
- Max weight: Top shelf: 50kg, lower shelves: 25kg
- Dimensions: **W:** 1050mm **D:** 400mm **H:** 508mm
- Tempered glass shelves toughened to BS6206A standard

1000mm wide

BTF104



3 Shelf Tempered Oval Glass AV Stand

- Designed for screens up to 60"
- Cable management included
- Glass thickness: Top shelf: 8mm, lower shelves: 5mm
- Max weight: Top shelf: 50kg, lower shelves: 25kg
- Dimensions:
- W: 1000mm D: 430mm H: 510mm
- Tempered glass shelves toughened to BS6206A standard









B-TECH CONSUMER

Premium AV Stands



1100mm wide

- Designed for screens up to 50" (127cm) / 60kg
- High gloss finish and tempered glass top
- Concealed castors and cable management
- Glass thickness: Top: 5mm, Shelf: 6mm
- Dimensions:

W: 1100m D: 420mm H: 530mm

■ Tempered glass shelf toughened to BS6206A standard



1370mm wide

- Designed for screens up to 60" (153cm) / 70kg
- High gloss finish and tempered glass top
- Concealed castors and cable management
- Glass thickness: Top: 5mm, Shelves: 5mm
- Dimensions:

W: 1370mm D: 420mm H: 495mm

■ Tempered glass shelves toughened to BS6206A standard



1130mm wide

- Designed for screens up to 46" (117cm) / 35kg
- Premium gloss finish and tempered glass top
- Concealed castors and cable management
- Glass thickness: Top: 5mm, Shelf: 6mm
- Dimensions:

W: 1130mm D: 400mm H: 485mm

■ Tempered glass shelf toughened to BS6206A standard



Flat Screen TV Cabinet with Glass Top and **Pull Out Draw**







1130mm wide

- Designed for screens up to 46" (117cm) / 35kg
- Premium gloss finish and tempered glass top
- Draw with silent closing mechanism
- Concealed castors and cable management
- Glass thickness: Top: 5mm
- Dimensions:

W: 1130mm D: 400mm H: 485mm

■ Tempered glass toughened to BS6206A standard

MOUNTING SOLUTIONS

for the SONOS®

SPEAKER RANGE

B-Tech's Ventry Range of speaker mounts are ideal for a wide range of speakers including the popular SONOS® PLAY:1TM, PLAY:3TM and PLAYBARTM. Pairing the SONOS range of wireless speakers with Ventry speaker mounts means listening to music in any room of the house couldn't be simpler.



BT332 is an ideal for solution for wall mounting SONOS **PLAY:1**[™] speakers to create full stereo sound in any room



Mounting your **PLAY:3**™ is made easy with the **BT15** Speaker Mount with adjustable arms.





Available now, please visit **www.btechavmounts.com** or contact your local sales representative for more information.

mounting **PLAY:1** speakers

quick and easy.

holding larger products such as

PLAY:5[™] as well as other AV devices.


Speaker Floor Stands





BT114 Stealth Onyx™ **Home Cinema Speaker Floor Stands** with Stylish Glass Base Designed for home cinema speakers up to 2kg Contemporary speaker stands with tempered glass base Adjustable height: 685mm - 1060mm Includes adaptors for single point, dual point and keyhole fixings Alternative mounting platform supplied for speakers without fixing holes Integrated cable management with speaker cable pull through wire Supplied in pairs **Multiple fixing options**







Speaker Wall and Ceiling Mounts

BT332

Speaker Wall Mount (Pair)

- Designed for home cinema speakers up to 5kg
- Speakers adjustable; up / down / sideways
- Features +/-20° tilt adjustment and 180° swivel
- Includes adaptors for keyhole, single point and dual point fixings
- Supplied in pairs
- Compatible with SONOS® Play:1 and Play:3 speakers (in portrait mode)









ENTS: US - 7523906, EUROPEAN 1546599



Ultragrip Pro™

Tilt and Swivel

BT77

Side Clamping Loudspeaker Wall Mount with Tilt and Swivel (Pair)

- Designed for speakers up to 25kg
- Suitable for most speakers including curved front types
- Adjustable clamp size: 135mm 280mm
- Features +/- 7° tilt and 360° swivel
- Supplied in pairs













BT15



BT34

Speaker Ceiling Mount

- Designed for speakers up to 5kg
- Features +/-90° tilt adjustment and 360° swivel
- Can be ceiling or wall mounted
- Includes adaptors for single point, dual point and keyhole fixings







Tilt and Swivel









Tilt and Swivel

Speaker Wall Mount with Tilt and Swivel (Pair)



- The original 'tilt and swivel' mount
- Designed for small to medium speakers weighing up to 10kg
- Features +/-18° tilt adjustment and 180° swivel
- Supplied in pairs

Adjustable Arms

Centre Speaker Wall Mount with Adjustable Arms

- Designed for speakers up to 15kg
- Ideal for centre channel speakers, DVD players and other AV equipment
- Easy adjustment of arm depth
- Adjustable arm dimensions: 180mm - 290mm
- Supplied in pairs (for use with one speaker)
- Compatible with SONOS® Play:3 speakers



Consumer Mounting Accessories



Soundbar Mount

Universal Soundbar Mount

- Ideal solution for mounting a soundbar speaker to your Flat Screen TV
- Mounts Soundbar above or below the screen
- Universal mount suitable for most soundbars and flat screens
- Use with or without a flat screen wall mount
- Ideal for corner installations with an articulated mount
- Low profile steel brackets
- Max weight of Soundbar: 10kg
- Easy installation all mounting hardware included
- Compatible with SONOS® Playbar



BLU-RAYT/DVD LASER LENS CLEANER



BTV920

AV Component Shelf

AV Component Shelf

- Adjustable component shelf for all common AV equipment such as DVD and Blu-Ray® Players up
- Arm Width Extension:

Min: 100mm Max: 560mm

- Plastic padded arms
- Plastic covers to hide installation screws





BTV847

Blu-Ray / DVD Cleaner

Blu-Ray / DVD **Laser Lens Cleaner**




- Three ultra-fine micro-fiber, optical grade brushes clean lens for improved picture and sound quality
- On-screen instructions and menu
- Includes 5.1 surround sound diagnostic and configuration test

HDMI® Cable









BTV817



High Speed HDMI Cable with Ethernet

- HDMI® cable for next generation 4KTVs and devices
- Also suitable for 720/1080p HD screens and content
- High speed cable supports 18Gbps data transfer for:
- 4K signals at 50/60 fps
- 10-bit, 12-bit and 16-bit colour depths
- 3D compatible devices and content
- Simultaneous delivery of dual video streams to multiple users on the same screen
- 21:9 aspect ratio and all common aspects ratios such as 16:9
- 32,1536KHz audio channels
- Ethernet Channel
- Audio Return Channel
- Flexible ultra-slim cable is easy to install in tight spaces and the short HDMI® connectors allow close to the wall installations of TVs or devices



AV Care and Cleaning Accessories

BTBIB641 Flat Screen Cleaner



Multi Purpose Screen Cleaning Kit

- Specifically designed for cleaning small screens such as, LCD, LED ,TFT and iPad's™
- Anti-static cleaning gel specifically formulated not to run down screen
- Replacement cloth included
- Includes wiper to enable a cleaner streak free finish than traditional cloth methods
- 30ml bottle

Free replacement cloth included

BTBIB639N

CD Lens Cleaner

BTBIB37N

DVD Lens Cleaner

The second secon

10 Brush CD Premium Laser Lens Cleaner

- Cleans CD laser lens for improved sound quality
- Ten micro-fibre, optical grade brushes
- On-disc audio instructions and audio system diagnostic test program
- Also compatible with PS4°, Xbox One°, PCs and CD autochangers



10 Brush DVD Premium Laser Lens Cleaner

- Cleans DVD laser lens for improved picture and sound quality
- Ten micro-fibre, optical grade brushes
- On-screen instructions and menu
- 5.1 Surround sound test program
- Colour calibration program
- Also compatible with PS4*, Xbox One* and PCs

BTBIB47N

Blu-Ray® Lens Cleaner

Blu-ray[®] Premium Laser Lens Cleaner



- Blu-ray disc cleans Blu-ray laser lens for improved picture and sound quality
- Three ultra-fine micro-fibre, optical grade brushes
- On-screen instructions and menu
- 7.1 Surround sound test program
- Compatible with Blu-ray players, PS4*, X-Box One, BD and BD-R drives

BTBIB643

Flat Screen Cleaner CDU

Premium Flat Screen Cleaner Counter Display Unit (10pcs)



- Designed for cleaning flat screens
- Anti-static cleaning gel specially formulated not to run down screen
- Includes high quality free non-scratch microfibre cloth for superior cleaning performance
- Doesn't damage screens like normal household cleaners

BTBIBVH1

Video Head Cleaner

Premium Video Head Cleaner



- Cleans video heads and complete travel path safely and effectively
- Removes and prevents snow and streaks in picture
- Prolongs life of equipment and cassettes
- Complete with cleaning fluid
- 20ml bottle

BTBIB100

Premium Record Cleaner




Groov-Kleen™ Carbon Fibre Brush with Velvet Insert

- Designed to improve the esoteric performance of your record collection
- Over one million fibres clean the vinyl grooves and eliminate static build up
- High quality velvet insert lifts off dust and dirt maximising effectiveness
- Protective metal case holds record cleaner when not in use



BTXLR39 HDMI Cable

Premium High Speed HDMI® Cable with Ethernet*



- Ideal for connecting your DVD, Blu-ray*, games console or satellite / set-top box to your TV
- Capable of transferring full high definition 1080p signals
- Supports 4K x 2K resolution HDTVs (maximum compliance resolution: 4096 x 2160P @ 24Hz)
- High speed cable 14.93Gbps (Gigabits per second) / 340MHz transfer rate
- High grade Oxygen Free Copper conductors (minimum 26AWG), for minimum signal loss
- Audio Return Channel, Deep Colour and x.v. Colour support
- HDMI® Ethernet Channel allows shared internet connection with multiple devices*
- 24K Gold Plated locking connectors for superior performance and optimum data transfer
- RFI and EMI noise reducing Clip-on ferrites allow for free placement along the cable ideal for flat screens mounted close to the wall
- Individually shielded and fully screened to eliminate RF and EM interference *Ethernet support on 1m, 2m, 3m and 5 metre cables



Clip-on ferrites included for a purer signal



High density nylon braiding for cable protection



High quality FPE insulator for superior signal transfer













The BTXLR39 is available in 6 different lengths...


BTXLR39-010 | BTXLR39-020 | BTXLR39-030 | BTXLR39-050 | BTXLR39-100 | BTXLR39-150 | BTXLR39-150 | BTXLR39-150 | BTXLR39-150 | BTXLR39-050 | BT



Ventry HDMI Cables also available - See Page 89



DIAMOND STYLUS RECORD PLAYER STYLI









B-Tech offer a huge range of replacement Record Player Styli to cater for the requirements of vinyl enthusiasts and audiophiles.

For more information about our range of Styli please contact your local B-Tech sales representative.

AV Controls & Switches

BT12

Speaker Switch

2-Way Speaker Selector Switch with Screw Terminals

 Designed to allow the use of two pairs of speakers with one amplifier

- Speaker selector switch to play either pair of speakers or both at the same time
- Suitable for loudspeakers from 4 ohms to 16 ohms
- 150 Watts per channel
- Suitable for speaker wire up to 2.5mm²
- Screw terminals for strong connection and minimum loss





BT913

Speaker Switch

Premium 4-Way Speaker Selector Switch

- Designed to allow the use of four pairs of loudspeakers with one amplifier
- Play any combination of up to four speaker pairs at the same time
- For loudspeakers from 8 to 16 ohms
- Headphone socket with amplifier protection
- 200 Watts RMS per channel
- Gold plated screw terminals for speaker wire up to 6mm² allow for strong connections and minimum loss
- Also suitable for 4mm Banana Plugs



BT25

AV Input Control

3-Way Audio Video Input Control with Parallel Outputs

- Designed to connect up to 3 audio video devices such as DVDs, VCRs and Satellite Receivers to 2 outputs such as TVs and Hi-Fi Systems
- Ideal for use with VCRs, DVD players, Camcorders, Satellite Receivers, Games Consoles, CD players and MP3 players
- Gold plated Phono / RCA connectors for strong connection and minimum signal loss





Registered Design Number: 204293:

BT31

Audio Input Control

3-Way Audio Input Control with Phono / RCA Connectors

- Designed to connect up to three stereo devices to one Amplifier Input
- Easy to use input selector
- Gold plated Phono / RCA connectors for strong connection and minimum signal loss



Headphone Amplifier



Registered Design Number: 202726

BT26

Phono Pre-Amp

Phono / Microphone Pre-Amplifier with Parallel Outputs

- Designed for use with any amplifier without a Phono Aux Input
- Designed to RIAA specifications with IC technology for low noise, high gain pre-amplification
- Also suitable for use with stereo and mono microphones
- Power Supply included
- CE certified









BT928

Stereo Headphone Amplifier

- Designed for use as a stand-alone unit for personal listening
- Use headphones on any audio device or TV
- Independent volume and tone controls
- Two pairs of headphones can be used simultaneously
- Suitable for headphones with either 6.3mm or 3.5mm plugs
- Power Supply included
- CE certified







BT934

Speaker Volume Control

Premium Loudspeaker Volume Control

- Designed for volume control of remote loudspeakers
- High power rating 60 watts
- Accepts loudspeaker cable up to 2.5mm diameter
- Suitable for loudspeakers;4, 6 or 8 ohms
- Frequency response 20 20,000 Hz





BT936

Speaker Volume Control

Premium In-Wall Speaker Volume Control

- Speaker Volume Control designed to be located anywhere along the speaker cable
- For use with UK 2 gang 47mm deep electrical boxes
- High power rating 60 watts
- Accepts loudspeaker cable up to 2.5mm diameter
- Suitable for loudspeakers; 4, 6 or 8 ohms
- Frequency response 20 20,000 Hz





Index

Product Code	Page Number	Product Code	Page Number
BT1	92	BT7052	78
BT11	91	BT7055	77
BT114	91	BT7056	77
BT12	96	BT7057	78
BT15	92	BT7060	53
BT25	96	BT7075	55
BT26	96	BT7165	34,40
BT31	96	BT7166	54
BT332	92	BT7167	44,54
BT34	92	BT7172	54
BT4000	52	BT7173	54
BT4001	52	BT7174	54
BT4002	52	BT7260	53
BT4003	52	BT7371	64
BT4004	52	BT7372	64
BT4005	52	BT7373	64
BT4011	52	BT7374	64
BT4015	52	BT7382	64
BT4020	52	BT7383	64
BT4041	33,53	BT7384	64
BT4102	52	BT7390	66
BT5810	56	BT7391	66
BT5811	56	BT7392	66
BT5812	56	BT7393	66
BT5832	57	BT7394	67
BT5833	57	BT7395	67
BT5834	57	BT7396	67
BT5890	62	BT7399	65
BT6010	79	BT7502	35
BT604	91	BT7504	39
BT6045	65	BT7505	35
BT606	91	BT7507	80
BT608	91	BT7510	29
BT7012	77	BT7511	29
BT7014	77	BT7512	29
BT7017	77	BT7513	29
BT7025	78	BT7514	31
BT7030	55	BT7514 (short arm)	30
BT7032	55	BT7515	31
BT7036	55	BT7518	29
BT7037	55	BT7521	30
BT7037	55	BT7522	30
BT7051	78	BT7523	30
17071	, 0	01/323	50

Index

Product Code	Page Number	Product Code	Page Number
BT7524	30	BT8210-PRO	32
BT7532	30	BT8220-PRO	32
BT7534	31	BT8221	33
BT7535	31	BT8225	33
BT7540	35	BT8310	24
BT7542	35	BT8310-SP	25
BT7551	81	BT8311	26 - 27
BT7552	81	BT8320	34
BT7553	58,65	BT8330	10-11
BT7554	59,65	BT8340	12-13
BT7564	35	BT8350	16-18
BT7592	34	BT8350-CW	22
BT7593	34	BT8350-FBFK	22
BT77	92	BT8350-HFA	22
BT7803	76	BT8351	18-19
BT7807	76	BT8352	20-21
BT7808	76	BT8370 - 2X2	6
BT7819-888	79	BT8370-3X3	7
BT7822	76	BT8371-2X2	8
BT7823	77	BT8371-3X3	9
BT7824	77	BT8380-180	14
BT7825	77	BT8380-240	14
BT7831	76	BT8380-BASE	14
BT7841	33,78	BT8380-CASTOR	14
BT7850	SW76	BT8380-FBFK	14
BT7850-CAP	78	BT8390-VESA200F	14
BT7851	76	BT8390-VESA200T	14
BT7860	79	BT8390-VESA400F	14
BT7861	80	BT8390-VESA400MAF	14
BT7862	78	BT8390-VESA400T	14
BT7863	78	BT8390-070	14
BT7864	51,78	BT8390-150	14
BT7865	78	BT8390-175	14
BT7867	79	BT8390-200	14
BT7868	55	BT8390 - 256	14
BT7869	49	BT8390-EXT	14
BT7870	49	BT8390-JPK	14
BT8009	80	BT8390-SP	14
BT8010	34	BT8390-WFK1	14
BT8026	80	BT8390-WFK2	14
BT8027	80	BT8421-PRO	32
BT8200-PRO	32	BT8422-PRO	32

Index

Product Code	Page Number	Product Code	Page Number
DTO 40 4		077101	
BT8424	58	BTF101	88
BT8425	60	BTF102	88
BT8426	60	BTF103	88
BT8427	61	BTF104	88
BT8428	59	BTF800	44
BT8429	59	BTF801	44
BT8431-PRO	33	BTF802	89
BT8432-PRO	33	BTF803	89
BT8447	61	BTF804	89
BT8500	80	BTF805	89
BT8503	39	BTF810	45
BT8504	40	BTF811	45
BT8505	40	BTF820	41
BT8506	41	BTF830	46
BT8510	50	BTF831	46
BT8511	50	BTF832	47
BT8520	51	BTF833	48
BT8521	51	BTF834	48
BT8540	38	BTF835	47
BT8541	38	BTV110	85
BT8551	42	BTV112	85
BT8552	42	BTV113	85
BT8553	43	BTV113	85
BT8554	43	BTV500	86
BT881	63	BTV501	86
BT882	63	BTV502	86
BT883	63	BTV503	86
BT884	63	BTV504	86
BT899	63, 79	BTV510	87
BT899-XL	63, 79	BTV511	87
BT913	96	BTV514	87
BT928	96	BTV520	87
BT934	96	BTV521	87
BT936	96	BTV815	93
BT9903	32	BTV816	93
BTBIB100	94	BTV817	93
BTBIB37N	94	BTV847	93
BTBIB47N	94	BTV910	91
BTBIB639N	94	BTV914	93
BTBIB641	94	BTV920	93
BTBIB643	94	BTXLR39	95
BTBIBVH1	94		



B-TECH AUDIO VIDEO MOUNTS

SAFE · SOLID · SECURE

Distributed by...



HEAD OFFICE

B-TECH INTERNATIONAL LIMITED

Bennett House, Long March, Daventry Northamptonshire, NN11 4NR, UK From within the UK Tel: 0844 800 0445 • Fax: 0844 800 0446 From outside the UK Tel: +44 (0)1327 300787 • Fax: +44 (0)1327 706562 Email: info@btechavmounts.co.uk

EMEA

Spain

B-TECH INTERNATIONAL (IBERIA) SL

C/ Saragossa, 14 Nave A, Polígono Industrials Salinas 08830 Sant Boi de Llobregat, Barcelona, Spain Tel: +34 93 640 24 79 Email: info@btechiberia.com

Germany

B-TECH DEUTSCHLAND GMBH

Dyrotzer Weg 26A, 14612 Falkensee Berlin, Germany Tel: +49 (0)3322 4291712 Fax: +49 (0)3322 239157 Email: info@btechdeutschland.de

APAC & ASEAN

NINGBO B-TECH INTERNATIONAL TRADING CO., LTD

Room 503-3 Huigang Building, No.466 Middle Tai'an Road Yinzhou District, Ningbo, China 315100 Tel/Fax: (+86) 574 8810 3861 Email: info@btechasia.com

Belaium

B-TECH PRO-AV BVBA

Brixtonlaan 32, Zaventem 1930 Brussels, Belgium Tel: +32 (0)2 720 9271 Email: info@btechproav.com

B TECH AUDIO VISUAL ACCESSORIES TRADING LLC

P.O. Box 126974 #107, Mandarin Bldg Oud Metha, Karama, Dubai, UAE Tel: +971 4 3574855 Email: sales@btechaymounts.ae

Singapore

B-TECH AV MOUNTS PTE LTD

60 Paya Lebar Road, #08-43 Payar Lebar Square Singapore 409051 Tel: (+65) 6841 2988 Fax: (+65) 6491 5613 Email: info@btechavmounts.com.sg

B-TECH INTERNATIONAL DESIGN AND MANUFACTURING LTD

Au Viet Building, 7th Floor,1st Le Duc Tho Cau Giay, Hanoi, Vietnam Cau Giay, Hanoi, Vietnam *Tel/Fax:* (+84) 94 535 5740

The information in this catalogue reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. The B-Tech name, the B-Tech logo, Better by Design, B-Tech Professional, B-Tech Consumer, Mountlogic, Ventry, System X, System V, Canabohia, CWLS, Aviball, and Bib are all registered trademarks of B-Tech International Ltd. All B-Tech images and symbols are exclusive property of B-Tech International Ltd. All their brands and products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures.

B-Tech security fasteners are designed as a security deterrent only. B-Tech, B-Tech Distributors and B-Tech resellers accept no liability for loss or resulting costs incured from the theft, attempted theft or unauthorised removal of any item(s) mounted using B-Tech security fasteners. Security screw removal tools are widely available and all B-Tech security fasteners are intended as a deterrent to the opportunist thief only.

CA-SF-V7-041215-UK



WWW.BTECHAVMOUNTS.COM









